

List of bibliographical references quoted in the book:

Lemaire, J.F. and Gringauz, K.I., The Earth's Plasmasphere, with contributions from D.L. Carpenter and V. Bassolo, Cambridge University Press, Cambridge (ISBN 0.521.43091.7), 346 pp., 1998

Afonin, V.V., Bassolo, V.S., Shmibauer, Y. & Lemaire, J.F. (1995). Motion and erosion of the nightside plasmapause region and of the associated subauroral electron temperature enhancement: COSMOS-900 observations, submitted to Journal of Geophysical Research.

Afonin, V.V., Grechnev, K.V., Ershova, V.A., Roste, O.Z., Smirnova, N.F., Shmilauer, Y. & Shul'chishin, Yu.A. (1994). Ion composition and temperature of ionosphere at maximum of 22 solar activity cycle from satellite "Intercosmos-24" (project Active). Cosmic Research, 32, 82-94.

Aggson, T.L., Maynard, N.C., Hanson, W.B. & Saba, J.L (1992), Electric field observations of equatorial bubbles. Journal of Geophysical Research, 97, 2997-3009.

Alfvén, H. (1967). Partial corotation of a magnetized plasma. Icarus, 7, 387-93.

Alfvén, H. (1976). On frozen-in field lines and field-line reconnection. Journal of Geophysical Research, 81, 4019-21.

Alfvén, H. & Arrhenius, G. (1976). Evolution of the solar system. NASA-SP-345, 288-94.

Alfvén, H. & Fälthammar, C.-G. (1963). Cosmical Electrodynamics, Fundamental Principles, 228 pp., Clarendon Press, Oxford, England.

Allcock, G. McK. (1959). The electron density distribution in the outer ionosphere derived from whistler data. Journal of Atmospheric and Terrestrial Physics, 14, 185-99.

Almeida, O.G. (1973). Protonospheric columnar electron content determination, I, Analysis. Journal of Atmospheric and Terrestrial Physics, 35, 1657-75.

Altman, C. & Suchy, K. (1993). Reciprocity, spatial mapping and time reversal in electromagnetics, Kluwer Academic Publishers, Dordrecht, pp. 286.

Anderson, R.R. (1987). A comprehensive survey of the electron number density in the earth's magnetosphere as deduced from the ISEE/PWI data, Univ. of Iowa, preprint A687-162.

Anderson, R.R. (1994). CRRES plasma wave observations during quiet times, during geomagnetic disturbances, and during chemical releases. In Dusty Plasma, Noise and Chaos in Space and in the Laboratory, ed. H. Kikuchi, New York, Plenum Publishing Company.

Anderson, R. R. & Gurnett, D. A. (1973). Plasma wave observations near the plasmapause with the S3-A satellite. Journal of Geophysical Research, 78, 4756-64.

Anderson, P.C., Hanson, W.B., Heelis, R.A., Craven, J.D., Baker, D.N. & Frank, L.A. (1993). A proposed production model of rapid subauroral ion drifts and their relation to substorm evolution. Journal of Geophysical Research, 98, 6069-78.

Anderson, P.C., Heelis, R.A. & Hanson, W.B. (1991). The ionospheric signatures of rapid subauroral ion drifts. Journal of Geophysical Research, 96, 5785-92.

Anderson, R. R. & Kurth, W. S. (1989). Discrete electromagnetic emissions in planetary magnetospheres, In Plasma Waves and Instabilities at Comets and in Magnetospheres, ed. B.T. Tsurutani and H. Oya, pp. 81-117, Washington, D.C.: American Geophysical Union.

André, M & Chang, T. (1992). Ion heating perpendicular to the magnetic field in Physics of Space Plasma, SPI Conference Proceedings and reprints series, no 12, 35-71.

- Andrews, M.K., Knox, F.B., & Thomson, N.R. (1978). Magnetospheric electric fields and protonospheric coupling fluxes inferred from simultaneous phase and group path measurements on whistler-mode signals. *Planetary and Space Science*, 26, 171-83.
- Angerami, J.J. (1966). Whistler study of the distribution of thermal plasma in the magnetosphere, Ph. D. thesis, Tech. Rep. 3412-7, Stanford Univ., Stanford, Calif.
- Angerami, J.J. (1970). Whistler duct properties deduced from VLF observations made with the OGO 3 satellite near the magnetic equator. *Journal of Geophysical Research*, 75, 6115-35.
- Angerami, J.J. & Carpenter, D.L. (1966). Whistler studies of the plasmapause in the magnetosphere, 2, Electron density and total tube content near the knee in magnetospheric ionization. *Journal of Geophysical Research*, 71, 711-25.
- Angerami, J.J. & Thomas, J.O. (1964). Studies of planetary atmospheres, 1. The distribution of electrons and ions in the earth's exosphere. *Journal of Geophysical Research*, 69, 4537-60.
- Arnoldy, R. L., Dragoon, K., Cahill, L. J. Jr., Mende, S. B. & Rosenberg, T. J. (1982). Detailed correlations of magnetic field and riometer observations at L=4.2 with pulsating aurora. *Journal of Geophysical Research*, 87, 10449-56.
- Axford, W.I. (1968). The polar wind and the terrestrial helium budget. *Journal of Geophysical Research*, 73, 6855-9.
- Axford, W.I. & Hines, C.O. (1961). A unifying theory of high-latitude geophysical phenomena and geomagnetic storms. *Canadian Journal of Physics*, 39, 1433-64.
- Bailey, G.J. (1980). The topside ionosphere above Arecibo at equinox during sunspot maximum. *Planetary Space Science*, 28, 47-59.
- Bailey, G.J. (1983). The effect of a meridional ExB drift on the thermal plasma at L=1.4. *Planetary and Space Science*, 31, 389-409.
- Bailey, G.J., Moffett, R.J. & Murphy, J.A. (1977). Theoretical study of nighttime field-aligned O⁺ and H⁺ fluxes in a midlatitude magnetic field tube at equinox under sunspot maximum conditions. *Journal of Atmospheric Terrestrial Physics*, 39, 105-10.
- Bailey, G.J. & Sellek, R. (1990). A mathematical model of the Earth's plasmasphere and its application to a study of He⁺ at L=3. *Annales Geophysicae*, 8, 171-89.
- Bailey, G.J., Simmons, P.A. & Moffett, R.J. (1987). Topsides and interhemispheric ion flows in the mid-latitude plasmsphere. *Journal of Atmospheric and Terrestrial Physics*, 49, 503-19.
- Balsiger, H., Eberhardt, P., Geiss, J., Ghielmetti, A., Walker, H.P., Young, D.T., Loidl, H. & Rosenbauer, H. (1976). A satellite-borne ion mass spectrometer for the energy range O to 16 keV. *Space Science Instrumentation*, 2, 499-521.
- Banks, P.M. & Holzer, T.E. (1968). The polar wind. *Journal of Geophysical Research*, 73, 6846-54.
- Banks, P.M., Nagy, A.F. & Axford, W.I. (1971). Dynamical behavior of thermal protons in mid-latitude ionosphere and magnetosphere. *Planetary and Space Science*, 19, 1053-67.
- Barakat, A.R. & Barghouthi, I.A. (1994). The effect of wave-particle interactions on the polar wind O⁺. *Geophysical Research Letters*, 21, 2279-2282.
- Barakat, A.R. & Barghouthi, I.A. (1994). The effect of wave-particle interactions on the polar wind: preliminary results. *Planetary and Space Science*, 42, 987-992.
- Barakat, A.R., Barghouthi, I.A. & Schunk, R.W. (1995). Double-hump H⁺ velocity distribution in the polar wind. *Geophysical Research Letters*, 22, 1857-60.
- Barakat, A.R. & Lemaire, J. (1990). Monte Carlo study of the espace of a minor species. *Physical Review A*, 42(6), 3291-302.

Barakat, A.R. & Schunk, R.W.(1982). Transport equations for multicomponent anisotropic space plasmas: A review. *Plasma Physics*, 24, 389-98.

Barakat, A.R., Schunk, R.W., Barghouti, I.A. & Lemaire, J. (1990). Monte-Carlo study of the transition from collision-dominated to collisionless polar wind flow in "Physics of Space Plasmas, edited by T. Chang, Crew, G.B. & Jaspers, J.R., p. 431-7, Scientific Publisher, Cambridge, MA.

Barakat, A.R., Thiemann, H. & Schunk, E.W. (1995). Comparison of macroscopic PIC and semikinetic models of the polar wind, submitted to *Journal of Geophysical Research*.

Barbier, D. (1958). L'activité aurorale aux basses latitudes. *Annales de Géophysique*, 14, 334-55.

Barfield, J.N., Burch, J.L. & Williams, D.J. (1975). Substorm associated reconfiguration of the dusk side equatorial magnetosphere : a possible source mechanism for isolated plasma regions. *Journal of Geophysical Research*, 80, 47-55.

Barfield, J.N. & McPherron, R.L. (1972). Investigation of interaction between Pc1 and 2 and Pc5 micropulsations at the synchronous orbit during magnetic storms. *Journal of Geophysical Research*, 77, 4707-19.

Barghouthi, I.A. (1994). The effects of wave-particle interactions on H⁺ and O⁺ outflow at high latitude: a comparative study, submitted to *Journal of Geophysical Research*.

Barghouthi, I.A., Barakat, A.R. & Persoon, A.M. (1994). Effects of altitude-dependent wave particle interactions on the polar wind plasma, submitted to *Annales Geophysicae*.

Barghouthi, I.A., Barakat, A.R. & Schunk, R.W. (1993). Monte Carlo study of the transition region in the polar wind: an improved collision model. *Journal of Geophysical Research*, 98, 17583-91.

Barghouthi, I.A., Barakat, A.R., Schunk, R.W. & Lemaire, J. (1990). H⁺ outflow in the polar wind : A Monte Carlo simulation, AGU Fall Meeting, San Francisco, California. EOS, 71, 1493.

Barkhausen, H. (1919). Zwei mit Hilfe der neuen Verstärker entdeckte Erscheinungen. *Physikalische Zeitschrift*, 20(1919), 401-3.

Barrington, R.E., Belrose, J.S. & Keeley, D.A. (1963). Very-low-frequency noise bands observed by the Alouette 1 satellite. *Journal of Geophysical Research*, 68, 6539-42.

Bartels, J. (1932). Terrestrial-magnetic activity and its relations to solar phenomena. *Terrestrial Magnetism Atmospheric Electricity*, 37, 1.

Bauer, S.J. (1962). On the structure of the topside ionosphere. *Journal of Atmospheric Science*, 19, 276-8.

Bauer, S.J. (1963). Helium ion belt in the upper atmosphere. *Nature*, 197, 36-7.

Bauer, S.J. (1966). Chemical processes involving helium ions and the behavior of atomic nitrogen ions in the upper atmosphere. *Journal of Geophysical Research*, 71, 1508-11.

Bauer, S.J. (1970). Satellite measurements of the cold plasma in the magnetosphere. In *Progress in Radio Science*, 1966-1969, 1, ed. G.M. Brown, N.D. Clarence & M.J. Rycroft, pp. 159-170, Brussels: International Union of Radio Science.

Baugher, C.R., Chappell, C.R., Horwitz, J.L., Shelley, E.G. & Young, D.T. (1980). Initial thermal plasma observations from ISEE 1. *Geophysical Research Letters*, 7, 657-60.

Baumjohann, W., Haerendel, G. (1985). Magnetospheric convection observed between 0600 and 2100 LT: solar wind and IMF dependence. *Journal of Geophysical Research*, 90, 6370-8.

Baumjohann, W., Haerendel, G. & Melzner, F. (1985). Magnetospheric convection observed between 0600 and 2100 LT : variations with Kp. *Journal of Geophysical Research*, 90, 393-8.

Behr, A.M. & Siedentopf H. (1953). Untersuchungen • ber Zodiakallicht und Gegenschein nach lichtelektrischen Messungen auf dem Jungfraujoch. *Zeitschrift Astrophysik*, 32, 19.

- Bell, T. F., Helliwell, R. A. & Hudson, M. K. (1991). Lower hybrid waves excited through linear mode coupling and the heating of ions in the auroral and subauroral ionosphere. *Journal of Geophysical Research*, 96, 11379-88.
- Bell, T. F., Helliwell, R. A., Inan, U. S. & Lauben, D. S. (1993). The heating of suprathermal ions above thunderstorm cells. *Geophysical Research Letters*, 20, 1991-4.
- Bell, T.F. & Ngo, H.D. (1988). Electrostatic waves stimulated by coherent VLF signals propagating in and near the inner radiation belt. *Journal of Geophysical Research*, 93, 2599-618.
- Bell, T. F. & Ngo, H. D. (1990). Electrostatic lower hybrid waves excited by electromagnetic whistler mode waves scattering from planar magnetic-field-aligned plasma density irregularities. *Journal of Geophysical Research*, 95, 149-72.
- Berchem, J. & Etcheto, J. (1981). Experimental study of magnetospheric convection. *Advances in Space Research*, 1(1), 179-84.
- Bernhardt, P.A. (1979). Theory and analysis of the 'super whistler'. *Journal of Geophysical Research*, 84, 5131-42.
- Berning, W.W. (1951). Charge densities in the ionosphere from radio Doppler data. *J. Meteorol.*, 8, 175-9.
- Bezrukikh, V.V. (1970). Results of charged particle observations aboard ELECTRON-1 and ELECTRON-2 satellites. *Kosmichesk Issledovaniya*, 2, 271-7.
- Bezrukikh, V.V. & Gringauz, K.I. (1965). *Issledovaniya kosmicheskogo prostranstva*", Nauka, Moscow, 177.
- Bezrukikh, V.V. & Gringauz, K.I. (1976). The hot zone in the outer plasmasphere of the earth. *Journal of Atmospheric and Terrestrial Physics*, 38, 1085-91.
- Bezrukikh, V.V. & Gringauz, K.I. (1995). Experiments on cold plasma studies in the Earth's magnetosphere from INTERBALL satellites, in Interball, mission and payload, 214-7, CNES-IKI-RSA publication.
- Bhonsle, R.V., Da Rosa, A.V. & Garriott, O.K. (1965). Measurements of the total electron content and the equivalent slab thickness of the midlatitude ionosphere. *Journal Research of the National Bureau of Standards*, 69D, 929-37.
- Biermann, L. (1957). Solar corpuscular radiation and the interplanetary gas. *The Observatory*, 77, 109.
- Bilitza, D. (1990). International Reference Ionosphere 1990. NSSDC 90-22, Greenbelt, Md.
- Bilitza, D., Rawer, K., Bossy, L. & Gulyaeva, T. (1993). International Reference Ionosphere - Past, present and future. II. Plasma temperatures, ion composition and ion drift. *Advances in Space Research*, 13(3), 15-23.
- Binsack, J.H. (1967). Plasmapause observations with the M.I.T. experiment on IMP2. *Journal of Geophysical Research*, 72, 5231-37.
- Blanc, M. (1978). Midlatitude convection electric fields and their relation to ring current development. *Geophysical Research Letters*, 5, 203-6.
- Blanc, M. (1983a). Magnetospheric convection effects at midlatitudes, 1. Saint-Saintin observations. *Journal of Geophysical Research*, 88, 211-23.
- Blanc, M. (1983b). Magnetospheric convection effects at mid-latitudes 3. Theoretical derivation of the disturbance convection pattern in the plasmasphere. *Journal of Geophysical Research*, 88, 235-51.

- Blanc, M. & Amayenc, P. (1976). Contribution of incoherent scatter radars to the study of middle and low latitude ionospheric electric fields. In Atmospheric Physics from Spacelab, ed. J.J. Burger, 61-90, Dordrecht-Holland: D. Reidel Publishing Company
- Blanc, M., Amayenc, P., Bauer, P. & Taieb, C. (1977). Electric field induced drifts from the French incoherent scatter facility. *Journal of Geophysical Research*, 82, 87-97.
- Blanc, M. & Richmond, A.D. (1980). The ionospheric disturbance dynamo. *Journal of Geophysical Research*, 85, 1669-86.
- Block, L.P. (1966). On the distribution of electric fields in the magnetosphere. *Journal of Geophysical Research*, 71, 855-64.
- Block, L.P., & Carpenter, D.L. (1974). Derivation of magnetospheric electric fields from whistler data in a dynamic geomagnetic field. *Journal of Geophysical Research*, 79, 2783-89.
- Block, L.P., Fälthammar, C.-G., Lindqvist, P.-A., Marklund, G.T., Mozer, F.S., Pedersen, A., Potemra, T.A. & Zanetti, L.J. (1987a). Electric field measurements on Viking : first results. *Geophysical Research Letters*, 14, 435-8.
- Blomberg, L.G. & Marklund, G.T. (1988a). The influence of conductivities consistent with field-aligned currents on high-latitude convection patterns, Report TRITA-EPP-88-02, The Royal Inst. of Technol., Stockholm, Sweden.
- Blomberg, L.G. & Marklund, G.T. (1988b). A numerical model of ionospheric convection derived from field-aligned currents and the corresponding conductivity, Report TRITA-EPP-88-02, The Royal Inst. of Technol., Stockholm, Sweden.
- Boardsen, S.A., Gallagher, D. L., Gurnett, D. A., Peterson, W. K. & Green, J. L (1992), Funnel-shaped, low frequency equatorial waves. *Journal of Geophysical Research*, 97, 14967-76.
- Boskova, J., Jiricek, F., Shmilauer, Y. & Triska, P. (1993). VLF plasmaspheric emissions - 'Wave' signatures of inner magnetosphere boundaries. *Journal of Atmospheric and Terrestrial Physics*, 55, 1789-1795.
- Boskova, J., Jiricek, F., Shmilauer Y., Triska, P., Afonin, V.V. & Istomin, V.G. (1993). Plasmaspheric refilling phenomena observed by the Intercosmos 24 satellite, *Journal of Atmospheric and Terrestrial Physics*, 55, 1595-1603.
- Bosqued, J.-M.(1987). AUREOL-3 results on ion precipitation, *Physica Scripta*, 18, 158-166.
- Bostick, W.H. (1956). Experimental study of ionized matter projected across a magnetic field. *Physical Review*, 104, 292-9.
- Boström, R. Gustafsson, G., Holback, B., Holmgren, G., Koskinen, H. & Kintner, P. (1988). Characteristics of solitary waves and weak double layers in the magnetospheric plasma, IRF Preprint 105, Swedish Inst. of Space Physics, Uppsala, Sweden, 1988.
- Boström, R., Koskinen, H. & Holback, B. (1987). Low frequency waves and small scale solitary structures observed by Viking, Proc. 21st ESLAB Symp., 22-25 June 1987, Bolkesjo, Norway. ESA SP-275, 185-92.
- Bourriot, M., Tixier, M. Corcuff, Y. (1967).Etude de l'ionisation magnétosphérique entre 1.9 et 2.6 rayons géocentriques au moyen des sifflements radio, électriques, reçus ... Poitiers au cours d'un cycle solaire. *Annales de Géophysique*, 23, 527-34.
- Brace, L.H., Chappell, C.R., Chandler, M.O., Comfort, R.H., Horwitz, J.L. & Hoegy, W.R. (1988). F-region electron temperature signatures of the plasmapause based on Dynamics Explorer 1 and 2 measurements. *Journal of Geophysical Research*, 93, 1896-908.

- Brace, L.H., Maier, E.J., Hoffman, J.H., Whitteker, J. & Shepherd, G.G. (1974). Deformation of the nightside plasmasphere and ionosphere during the August 1972 geomagnetic storm. *Journal of Geophysical Research*, 79, 5211-8.
- Brace, L.H., Reddy, B.M. & Mayr, H.G. (1967). Global behavior of the ionosphere at 1000-kilometer altitude. *Journal of Geophysical Research*, 72, 265-83.
- Brace, L.H. & Theis, R.F. (1974). The behavior of the plasmapause at mid-latitudes: ISIS-1 Langmuir probe measurements. *Journal of Geophysical Research*, 79, 1871-84.
- Brekke, A. & Hall, C. (1988). Auroral ionospheric quiet summer time conductances. *Annales Geophysicae*, 6, 361-75.
- Brice, N.M. & Smith, R.L. (1965). Lower hybrid resonance emissions. *Journal of Geophysical Research*, 70, 71-80.
- Brice, N.M. (1967). Bulk motion of the magnetosphere. *Journal of Geophysical Research*, 72, 5193-211.
- Brice, N.M. (1973). Differential drift of plasma clouds in the magnetosphere, (unpublished preprint).
- Brinton, H.C., Pickett, R.A. & Taylor, H.A. (1968). Thermal ion structure of the plasmasphere. *Planetary and Space Science*, 16, 899-909.
- Brittain, R., Kintner, P.M., Kelley, M.C., Siren, J.C. & Carpenter, D.L. (1983). Standing wave patterns in VLF hiss. *Journal of Geophysical Research*, 88, 7059-64.
- Budden, K. G. & Jones, D. (1987). Conversion of electrostatic upper hybrid emissions to electromagnetic O and X mode waves in the Earth's magnetosphere. *Annales Geophysicae*, 5, 21-8.
- Bullough K., & Sagredo, J.L. (1970). Longitudinal structure in the plasmapause : VLF goniometer observations of knee-whistlers. *Nature*, 225, 1038-9.
- Buonsanto, M.J. & Foster, J.C. (1993). Effects of magnetopsheric electric fields and neutral winds on the lowmiddle latitude ionospere during the March 20-21, 1990, storm, *Journal of Geophysical Research*, 98, 19,133-19,140.
- Burgess, J.M. (1969). Flow equations for composite gases, Academic, Orlando, Fla.
- Burgess, W. C. & Inan, U. S. (1993). The role of ducted whistlers in the precipitation loss and equilibrium flux of radiation belt electrons. *Journal of Geophysical Research*, 98, 15643-65.
- Burtis W.J. (1973). Electron concentrations calculated from the lower hybrid resonance noise band observed by OGO 3. *Journal of Geophysical Research*, 78, 5515-23.
- Burtis, W. J. & Helliwell, R. A. (1976). Magnetospheric chorus: occurrence patterns and normalized frequency. *Planetary and Space Science*, 24, 1007-24.
- Burton, E.T. & Boardman, E.M. (1933). Audio-frequency atmospherics. *Proceedings of the Institute of Radio Engineers*, 21, 1476-94. Also published in *Bell System Technical Journal*, 12, 498-516.
- Burton, R.K., Russell C.T. & Chappell C.R. (1970). The Alfvén velocity in the magnetosphere and its relationship to ELF emissions. *Journal of Geophysical Research*, 75, 5582-6.
- Carlqvist, P. (1995). Multi-component double layers and selective acceleration of charged particles. *Journal of Geophysical Research*, 100, 205-12.
- Carpenter, D.L. (1960). Identification of Whistler Sources on Visual Records and a Method of Routine Whistler Analysis. Stanford Electronics Laboratories Technical Report, 5, contract AF 18(603) - 126. Stanford, California: Stanford University.
- Carpenter, D.L. (1962a). New experimental evidence of the effect of magnetic storms on the magnetosphere. *Journal of Geophysical Research*, 67, 135-45.

Carpenter, D.L. (1962b). Electron-density variations in the magnetosphere deduced from whistler data. *Journal of Geophysical Research*, 67, 3345-60.

Carpenter, D.L. (1962c). The Magnetosphere During Magnetic Storms; a Whistler Analysis. Ph. D. thesis. Stanford, California: Stanford University.

Carpenter, D.L. (1962d). Identification of whistler sources on visual records and a method of routine whistler analysis. SEL technical report, no.5, Radio Sci. Lab., Stanford University, Stanford, Calif., 1960; (1962) Ph.D. thesis - The magnetosphere during magnetic storms : a whistler analysis, L-63-059, Radio Sci. Lab., Stanford University, Stanford Calif.

Carpenter, D.L. (1963a). Whistler measurements of electron density and magnetic field strength in the remote magnetosphere. *Journal of Geophysical Research*, 68, 3727-30.

Carpenter, D.L. (1963b). Whistler evidence of a 'knee' in the magnetospheric ionization density profile, I. Temporal variations in the position of the knee and some evidence on plasma motions near the knee. *Journal of Geophysical Research*. 68, 1675-82.

Carpenter, D.L. (1965). Whistler measurements of the equatorial profile of magnetospheric electron density, in "Progress in Radio Science 1960-1963, III, The Ionosphere, (ed.) G.M. Brown, Elsevier Publ. Co., Amsterdam, p. 76-91.

Carpenter, D.L. (1966). Whistler studies of the plasmapause in the magnetosphere, I. Temporal variations in the position of the knee and some evidence on plasma motions near the knee. *Journal of Geophysical Research*, 71, 693-709.

Carpenter, D.L. (1967). Relations between the dawn minimum in the equatorial radius of the plasmapause and Dst, K_p and the local K at Byrd station. *Journal of Geophysical Research*, 72, 2969-71.

Carpenter, D.L. (1968). Ducted whistler mode propagation in the magnetosphere; a half-gyrofrequency upper intensity cut off and some associated wave growth phenomena. *Journal of Geophysical Research*, 73, 2919-28.

Carpenter, D.L. (1970). Whistler evidence of the dynamic behavior of the duskside bulge in the plasmasphere. *Journal of Geophysical Research*, 75, 3837-47.

Carpenter, D.L. (1971). OGO 2 and 4 VLF observations of the asymmetric plasmapause near the time of SAR arc events. *Journal of Geophysical Research*, 76, 3644-50.

Carpenter, D.L. (1978). New whistler evidence of a dynamo origin of electric fields in the quiet plasmasphere. *Journal of Geophysical Research*, 83, 1558-64.

Carpenter, D.L. (1978). Whistler and VLF noises propagating just outside the plasmapause. *Journal of Geophysical Research*, 83, 45-57.

Carpenter, D.L. (1981). A study of the outer limits of ducted whistler propagation in the magnetosphere. *Journal of Geophysical Research*, 86, 839-45.

Carpenter, D.L. (1983). Some aspects of plasmapause probing by whistlers. *Radio Science*. 18, 917-25.

Carpenter, D.L. (1986). Whistler studies of the plasmasphere shape and dynamics. *Advances in Space Research*, 6(3), 5-19.

Carpenter, D.L. (1995). Earth plasmasphere awaits rediscovery, EOS. Trans. AGU, 76(9), 89-92.

Carpenter, D.L. & Akasofu, S.-I. (1972). Two substorm studies of relations between westward electric fields in the outer plasmasphere, auroral activity, and geomagnetic perturbations. *Journal of Geophysical Research*, 77, 6854-63.

Carpenter, D.L. & Anderson, R.R. (1992). An ISEE/whistler model of equatorial electron density in the magnetosphere. *Journal of Geophysical Research*, 97, 1097-108.

- Carpenter, D.L., Anderson, R.R., Bell, T.F. & Miller, T.R. (1981). A comparison of equatorial electron densities measured by whistlers and by a satellite radio technique. *Geophysical Research Letters*, 8, 1107-10.
- Carpenter, D.L. & Chappell, C.R. (1973). Satellite studies of magnetospheric substorms on August 15, 1968, 3, Some features of magnetospheric convection. *Journal of Geophysical Research*, 78, 3062-7.
- Carpenter, G.B. & Colin, L. (1963). On a remarkable correlation between whistler-mode propagation and high-frequency North scatter. *Journal of Geophysical Research*, 68, 5649-57.
- Carpenter, D.L., Foster, J.C., Rosenberg, T.J. & Lanzerotti, L.J. (1975). A subauroral and mid-latitude view of substorm activity. *Journal of Geophysical Research*, 80, 4279-86.
- Carpenter, D.L., Giles, B.G., Chappell, C.R., Décréau, P.M.E., Anderson, R.R., Persoon, A.M., Smith, A.J., Corcuff, Y. & Canu, P. (1993). Plasmasphere dynamics in the duskside bulge sector : a new look at an old topic. *Journal of Geophysical Research*, 98, 19243-71.
- Carpenter, D.L. & Labelle J.W. (1982). A study of whistlers correlated with bursts of electron precipitation near $L = 2$. *Journal of Geophysical Research*, 87, 4427-34.
- Carpenter, D. L. & Miller, T.R. (1983). Rare ground based observations of Siple VLF transmitter signals outside the plasmapause. *Journal of Geophysical Research*, 88, 10227-32.
- Carpenter, D. L. & Orville, R. E. (1989). The excitation of active whistler mode signal paths in the magnetosphere by lightning: Two case studies. *Journal of Geophysical Research*, 94, 8886-94.
- Carpenter, D.L. & Park, C.G. (1973). On what ionosphere workers should know about the plasmapause-plasmasphere. *Reviews of Geophysics and Space Physics*, 11, 133-54.
- Carpenter, D.L., Park, C.G., Arens, J.F. & Williams, D.J. (1971). Position of the plasmapause during a stormtime increase in trapped energetic ($E > 280$ keV) electrons. *Journal of Geophysical Research*, 76, 4669-73.
- Carpenter, D.L., Park, C.G. & Miller, T.R. (1979). A model of substorm electric fields in the plasmasphere based on whistler data. *Journal of Geophysical Research*, 84, 6559-63.
- Carpenter, D.L., Park, C.G., Taylor, H.A., Jr. & Brinton, H.C. (1969). Multi-experiment detection of the plasmapause from EOGO satellites and Antarctic ground stations. *Journal of Geophysical Research*, 74, 1837-47.
- Carpenter, D.L. & Seely, N.T. (1976). Cross-L plasma drifts in the outer plasmasphere: quiet time patterns and some substorm effects. *Journal of Geophysical Research*, 81, 2728-36.
- Carpenter, D.L. & Smith, R.L. (1964). Whistler measurements of electron density in the magnetosphere. *Reviews of Geophysics*, 2, 415-41.
- Carpenter, D.L., Smith, A.J., Giles, B.L., Chappell, C.R. & Décréau, P.M.E. (1992). A case study of plasma structure in the dusk sector associated with enhanced magnetospheric convection. *Journal of Geophysical Research*, 97, 1157-66.
- Carpenter, D.L. & Stone, K. (1967). Direct detection by a whistler method of the magnetospheric electric field associated with a polar substorm. *Planetary and Space Science*, 15, 395-7.
- Carpenter, D.L., Stone, K., Siren, J.C. & Crystal, T.L. (1972). Magnetospheric electric fields deduced from drifting whistler paths. *Journal of Geophysical Research*, 77, 2819-34.
- Carpenter, D.L. & Sulic, D.M. (1988). Ducted whistler propagation outside the plasmapause. *Journal of Geophysical Research*, 93, 9731-42.
- Carpenter, D.L., Walter, F., Barrington, R.E. & McEwen, D.J. (1968). Alouette 1 and 2 observations of abrupt changes in whistler rate and of VLF noise variations at the plasmapause: A satellite-ground study. *Journal of Geophysical Research*, 73, 2929-40.

- Caudal, G. & Blanc, M. (1988). Magnetospheric convection during quiet or moderately disturbed times. *Reviews of Geophysics*, 26, 809-22.
- Chamberlain, J.W. (1977). Charge exchange in planetary corona: its effect on the distribution and escape of hydrogen. *Journal of Geophysical Research*, 82, 1-9.
- Chan K.-W., Holzer R.E. & Smith E.J. (1974). A relation between ELF hiss amplitude and plasma density in the outer plasmasphere. *Journal of Geophysical Research*, 79, 1989-93.
- Chan, K.-W., & Holzer, R.E. (1976). ELF hiss associated with plasma density enhancements in the outer magnetosphere. *Journal of Geophysical Research*, 81, 2267-74.
- Chandler, M.O., Kozyra, J.U., Horwitz, J.L., Comfort, R.H., Peterson, W.K. & Brace, L.H. (1988). Modelling of thermal plasma in the outer plasmasphere : a magnetospheric heat source, in *Modelling Magnetospheric Plasma*, Geophys. Monogr. Ser. vol. 44, edited by T.E. Moore and J.H. Warte Jr., AGU, Washington D.C.
- Chandler, M.O., Ponthieu, J.J., Cravens, T.E., Nagy, A.F. & Richards, P.G. (1987). Model calculations of minor ion populations in the plasmasphere. *Journal of Geophysical Research*, 92, 5885-95.
- Chandrasekhar, S. (1960). *Plasma physics*, 217 pp., University of Chicago Press, Chicago.
- Chang, T., Crew, G.B., Hershkowitz, N., Jasperse, J.R., Retterer, J.M. & Winningham, J.D. (1986). Transverse acceleration of oxygen ions by electromagnetic cyclotron resonance with broad band left-hand-polarized waves. *Geophysical Research Letters*, 13, 636-9.
- Chapman, S. (1957). Notes on the solar corona and the terrestrial atmosphere. *Smithsonian Contributions to Astrophysics*, 2, 1.
- Chappell, C.R. (1972). Recent satellite measurements of the morphology and dynamics of the plasmasphere. *Reviews Geophysics and Space Physics*, 10, 951-79.
- Chappell, C.R. (1974). Detached plasma regions in the magnetosphere. *Journal of Geophysical Research*, 79, 1861-70.
- Chappell, C.R. (1982). Initial observations of thermal plasma composition and energetics from Dynamics Explorer-1. *Geophysical Research Letters*, 9, 929-32.
- Chappell, C.R., Fields, S.A., Baugher, C.R., Hoffman, J.H., Hanson, W.B., Wright, W.W. & Hammack, H.D. (1981). The retarding ion mass spectrometer on Dynamics Explorer-A. *Space Science Instruments*, 5, 477-91.
- Chappell, C.R., Harris, K.K. & Sharp, G.W. (1970a). A study of the influence of magnetic activity on the location of the plasmapause as measured by OGO 5. *Journal of Geophysical Research*, 75, 50-6.
- Chappell, C.R., Harris, K.K. & Sharp, G.W. (1970b). The morphology of the bulge region of the plasmasphere. *Journal of Geophysical Research*, 75, 3848-61.
- Chappell, C.R., Harris, K.K. & Sharp, G.W. (1971a). The dayside of the plasmasphere. *Journal of Geophysical Research*, 76, 7632-47.
- Chappell, C.R., Harris, K.K. & Sharp, G.W. (1971b). OGO 5 measurements of the plasmasphere during observations of stable auroral red arcs. *Journal of Geophysical Research*, 76, 2357-65.
- Chappell, C.R., Olsen, R.C., Green, J.L., Johnson, J.F.E. & Waite, J.H., Jr. (1982). The discovery of nitrogen ions in the Earth's magnetosphere. *Geophysical Research Letters*, 9, 937-40.
- Chen, A.J. & Grebowsky, J.M. (1974). Plasma tail interpretations of pronounced detached plasma regions measured by OGO 5. *Journal of Geophysical Research*, 79, 3851-5.

- Chen, A.J., Grebowsky, J.M. & Taylor, H.A., Jr. (1975). Dynamics of mid-latitude light ion trough and plasma tails. *Journal of Geophysical Research*, 80, 968-76.
- Chen, A.J. & Grebowsky, J.M. (1978). Dynamical interpretation of observed plasmasphere deformations. *Planetary and Space Science*, 26, 661-72.
- Chen, A.J. & Wolf, R.A. (1972). Effects on the plasmasphere of time-varying convection electric field. *Planetary and Space Science*, 20, 483-509.
- Chen, L. & Hasegawa, A. (1974). A theory of long-period magnetic pulsations, 2, Impulse excitation of surface eigenmode. *Journal of Geophysical Research*, 79, 1033-7.
- Cheng, A.F. (1985). Magnetospheric interchange instability. *Journal of Geophysical Research*, 90, 9900-4.
- Chernov, A.A., Khazanov, G.V. & Tanygin, S.V. (1990). Modeling of electron thermal fluxes into the ionosphere during the excitation of ion cyclotron waves by the ring current. *Annales Geophysicae*, 8(12), 825-7.
- Chiu, Y.T., Luhmann, J.G., Ching, B.K. & Boucher, D.J. Jr. (1979). An equilibrium model of plasmaspheric composition and density. *Journal of Geophysical Research*, 84, 909-16.
- Chiu, Y.T. & Schulz, M. (1978). Self-consistent particle and parallel electrostatic field distributions in the magnetospheric-ionospheric auroral region. *Journal of Geophysical Research*, 83, 629-42.
- Church, S. R. & Thorne, R. M. (1983). On the origin of plasmaspheric hiss: ray path integrated amplification. *Journal of Geophysical Research*, 88, 7941-57.
- Clilverd, M.A., Smith, A.J. & Thompson, N.R. (1991). The annual variation in quiet time plasmaspheric electron density, determined from whistler mode group delays. *Planetary and Space Science*, 39, 1059-67.
- Clilverd, M.A., Smith, A.J. & Thomson, N.R. (1992). The effects of ionospheric horizontal electron density gradients on whistler mode signals. *Journal of Atmospheric and Terrestrial Physics*, 54, 1061-74.
- Cole, K.D. (1965). Stable auroral red arcs, sinks for energy of Dst main phase. *Journal of Geophysical Research*, 70, 1689-706.
- Cole, K.D. (1970a). Magnetospheric processes leading to mid-latitude auroras, *Annales de Gophysique*, 26, 187-193.
- Cole, K.D. (1970b). Relationship of geomagnetic fluctuations to other magnetospheric phenomena. *Journal of Geophysical Research*, 75, 4216-4223.
- Cole, K.D. (1971). Formation of field-aligned irregularities in the magnetosphere. *Journal of Atmospheric and Terrestrial Physics*, 33, 741-50.
- Cole, K.D. (1975). Coulomb collisions of ring current particles - indirect source of heat for the ionosphere, NASA document GSFC X-621-75-108.
- Cole, K.D. & Findlay, J.A. (1974). The evolution of electron density and temperature distributions in the topside ionosphere during magnetic storms, NASA document GSFC X-621-74-283.
- Comfort, R.H. (1986). Plasmasphere thermal structure as measured by ISEE-1 and DE-1. *Advances in Space Research*, 6, 31-40.
- Comfort, R.H. (1996). Thermal structure of the plasmasphere. *Advances Space Research*, 17, (10)175-84.
- Comfort, R.H., Baugher, C.R. & Chappell, C.R. (1982). Use of the thin sheath approximation for obtaining ion temperatures from the ISEE-1 limited aperture RPA. *Journal of Geophysical Research*, 87, 5109-23.

Comfort, R.H., Craven, P.D. & Richards, P.G. (1995). A modified thermal conductivity for low density plasma magnetic flux tubes. *Geophysical Research Letters*, 22, 2457-60.

Comfort, R.H. & Horwitz, J.L. (1981). Low-energy pitch-angle distributions observed on the dayside at geosynchronous altitudes. *Journal of Geophysical Research*, 86, 1621-7.

Comfort, R.H., Horwitz, J.L., Baugher, C.R. & Chappell, C.R. (1981). Identification of the M/Q = 2 ion in the plasmasphere (abstract) *EOS Trans. AGU*, 62, 990.

Comfort, R.H., Richards, P.G., Craven, P.D. & Chandler, M.O. (1996). Problems in simulating ion temperatures in low density flux tubes, in press for AGU Monograph. Coupling of micro- and mesoscale processes in space plasma transport, Ed. J.L. Horwitz and N. Singh.

Comfort, R.H., Waite, Jr., J.H. & Chappell, C.R. (1985). Thermal ion temperatures from the retarding ion mass spectrometer on DE-1. *Journal of Geophysical Research*, 90, 3475-86.

Corcuff, P. (1977). Méthodes d'analyse des sifflements électriques : 1 - Application ... des sifflements électriques. *Annales de Géophysique*, 33, 443-54.

Corcuff, P. (1978). Contribution ... à l'étude de la convection magnétosphérique et de la dynamique de la plasmasphère, Thèse de doctorat d'état, Université de Poitiers.

Corcuff, P., Corcuff, Y., Carpentier, D.L., Chappell, C.R., Vigneron, J. & Kleimenova, N. (1972). La plasmasphère en période de recouvrement magnétique. Etude combinée des données des satellites OGO 4, OGO 5 et des sifflements reçus au sol. *Annales de Géophysique*, 28, 679-95.

Corcuff, P., Corcuff, Y. & Tarcsai, G. (1977). Méthodes d'analyse des sifflements électriques : 2 - Application ... des sifflements observés au sol. *Annales de Géophysique*, 33, 455-9.

Corcuff, Y. (1961). Variation de la dispersion des sifflements radioélectriques au cours des orages magnétiques. *Annales de Géophysique*, 17, 374-7.

Corcuff, Y. (1962). La dispersion des sifflements radioélectriques au cours des orages magnétiques; ses variations nocturnes, annuelle et semi-annuelle en périodes calmes. *Annales de Géophysique*, 18, 334-40.

Corcuff, Y. (1965). Etude de la Magnétosphère au Moyen des Sifflements Radioélectriques. Thèse de doctorat d'état. Poitiers: University of Poitiers.

Corcuff, Y. (1975). Probing the plasmapause by whistlers. *Annales de Géophysique*, 31, 53-67.

Corcuff, Y. & Corcuff, P. (1982). Structure et dynamique de la plasmapause-plasmasphère les 6 et 14 juillet 1977.: Etude à l'aide des données de sifflements reçus au sol et de données des satellites ISIS et GEOS-1. *Annales de Géophysique*, 38, 1-24.

Corcuff, Y., Corcuff, P. & Lemaire, J. (1985). Dynamical plasmapause positions during the July 29-31, 1977, storm period : a comparison of observations and time-dependent model calculations. *Annales Geophysicae*, 3, 569-79.

Corcuff, Y. & Delaroche, M. (1964). Augmentation du gradient d'ionisation dans la proche magnétosphère en période de forte activité magnétique. *Comptes-Rendus de l'Académie des Sciences*, 258, 650-3.

Cordier, S. (1994). Hyperbolicity of Grad's extension of hydrodynamic models for ionospheric plasma Part I: the single species case, Part II: the two species case, *Mathematical Models in Applied Sciences*, 4/5, 625-45; 647-67.

Cornwall, J. M., Coroniti, F. V. & Thorne, R. M. (1970). Turbulent loss of ring current protons. *Journal of Geophysical Research*, 75, 4699-709.

Cornwall, J.M., Coroniti, F.V. & Thorne, R.M. (1971). Unified theory of SAR-arc formation at the plasmapause. *Journal of Geophysical Research*, 76, 4428-45.

Curtis, S.A. (1985). Equatorial trapped plasmasphere ion distributions and transverse stochastic acceleration. *Journal of Geophysical Research*, 90, 1765-70.

Daniell, G.J. (1986). Analytic properties of the whistler dispersion function. *Journal of Atmospheric and Terrestrial Physics*, 48, 271-5.

Davies, K.(1980). Recent progress in satellite radio beacon studies with particular emphasis on the ATS-6 radio beacon experiment. *Space Science Reviews*, 25, 357-430.

Davies, K., Anderson, D.N., Paul, A.K., Degenhardt, W., Hartmann, G.K & Leitinger (1979). Nighttime increases in total electron content observed with the ATS6 radio beacon. *Journal of Geophysical Research*, 84, 1536-42.

Davies, K., Degenhardt, W., Hartmann, G.K. & Leitinger, R. (1979). Some measurements of the total electron content made with the ARS-6 radio beacon. In *Proceedings of the Symposium on Beacon Satellite Measurements of Plasmaspheric and Ionospheric Properties*, pp. - . Firenze: Ed. IROE..

Davies, K., Hartmann, G.K. & Leitinger, R. (1977), A comparison of several methods of estimating the columnar electron content of the plasmasphere. *Journal of Atmospheric and Terrestrial Physics*, 39, 571-80.

de la BeaujardiŠre, O., Wickwar, V.B. & King, J.H. (1986). Sondrestrom radar observations of the effect of the IMF By component on polar cap convection, in *Solar Wind-Magnetosphere Coupling*, Eds. Y. Kamide and J.A. Slavin, TERRAPUB, Tokyo, p. 495-505.

Décréau, P.M.E., Beghin, C. & Parrot, M. (1978b). Electron density and temperature, as measured by the mutual impedance experiment on board GEOS-1. *Space Science Reviews*, 22, 581-95.

Décréau, P.M.E., Beghin, C. & Parrot, M. (1982). Global characterisits of the cold plasma in the equatorial plasmapause region as deduced from the GEOS 1 mutual impedance probe. *Journal of Geophysical Research*, 87, 695-712.

Décréau, P.M.E., Beghin, C. & Parrot, M. (1984). Contribution of mutual impedance experiments to the understanding of magnetospheric processes. In *Proceedings of the Conference on Achievements of the IMS*, 26-28 June 1984, Graz, Austria, ESA SP-217, 705-7.

Décréau, P.M.E., Carpenter, D.L., Chappell, C.R., Comfort, R.H., Green, J.L., Olsen, R.C. & Waite J.H. (1986). Latitudinal plasma distribution in the dusk plasmaspheric bulge : refilling phase and quasi-equilibrium state. *Journal of Geophysical Research*, 91, 6929-43 and 7147.

Décréau, P.M.E., Etcheto, J., Knott, R., Pedersen, K., Wrenn, G.L. and Young, D.T. (1978a). Multi-experiment determination of plasma density and temperature. *Space Science Reviews*, 22, 633-45.

Décréau, P.M.E., Lemaire, J., Chappell, C.R. & Waite, J.H. (1986). Nightside plasmapause positions observed by DE-1 as a function of geomagnetic indices : Comparison with whistler observations and model calculations. *Advances in Space Research*, 6(3), 209-14.

Degenhardt, M., Hartmann, G.K. & Leitinger, R.(1977). Effects of a magnetic storm on the plasmasphere electron content. *Journal of Atmospheric and Terrestrial Physics*, 39, 1435-40.

Dejnakintra, M. & Park, C. G. (1974). Lightning-induced electric fields in the ionosphere. *Journal of Geophysical Research*, 79, 1903-10.

Delcourt, D.C., Chappell, C.R., Moore, T.E. & Waite, J.H. Jr.(1989). A three-dimensional numerical model of ionospheric plasma in the magnetopause. *Journal of Geophysical Research*, 94, 11893-920.

del Pozo, C.F. & Blanc, M. (1994). Analytical self-consistent model of the large-scale convection electric field. *Journal of Geophysical Research*, 99, 4053-68.

Demars, H.G. & Schunk, R.W. (1986). Solutions to bi-maxwellian transport equations for SAR-arc conditions. *Planetary and Space Science*, 34, 1335-48.

- Demars, H.G. & Schunk, R.W. (1987a). Comparison of solutions to bi-maxwellian and maxwellian transport equations for subsonic flows. *Journal of Geophysical Research*, 92, 5969-90.
- Demars, H.G. & Schunk, R.W. (1987b). Temperature anisotropics in the terrestrial ionosphere and plasmashere. *Reviews in Geophysics*, 25, 1659-79.
- Demars, H.G. & Schunk, R.W. (1991). Comparison of semi-kinetic and generalized transport models of the polar wind. *Geophysical Research Letters*, 18, 713-6.
- Denby, M., Bullough, K., Alexander, P.D., & Rycroft M.J. (1980). Observational and theoretical studies of a cross meridian refraction of VLF waves in the ionosphere and magnetosphere. *Journal of Atmospheric and Terrestrial Physics*, 42, 51-60.
- Dessler, A.J. & Cloutier, P.A. (1969). Discussion of letter by Peter M. Banks and Thomas E. Holzer, "The polar wind". *Journal of Geophysical Research*, 74, 3730-3.
- Doe, R.A, Moldwin, M.B. & Mendillo, M. (1992). Plasmapause morphology determined from an empirical ionospheric convection model. *Journal of Geophysical Research*, 97, 1151-6.
- Doolittle, J. H. & Carpenter, D. L. (1983). Photometric evidence of electron precipitation by first hop whistlers. *Geophysical Research Letters*, 10, 611-4.
- Dowden, R.L., McKay, A.D., Amon, L.E.S., Koons, H.C. & Dazey, M. H. (1978). Linear and nonlinear amplification in the magnetosphere during a 6.6-kHz transmission. *Journal of Geophysical Research*, 83, 169-81.
- Draganov, A.B., Inan, U.S., Sonwalkar, V.S. & Bell, T.F. (1992). Magnetospherically reflected whistlers as a source of plasmaspheric hiss. *Geophysical Research Letters*, 19, 233-6.
- Dunckel, N. & Helliwell, R.A. (1969). Whistler mode emissions on the OGO-1 satellite. *Journal of Geophysical Research*, 74, 6371-85.
- Dunckel, N., Ficklin, B., Rorden, L. & Helliwell, R. A. (1970). Low-frequency noise observed in the distant magnetosphere with OGO 1. *Journal of Geophysical Research*, 75, 1854-62.
- Dungey, J.W. (1954). Electrodynamics of the outer atmosphere. Pennsylvania State University Report No. 69 and 57.
- Dungey, J.W. (1955). Electrodynamics of the outer atmosphere. In Report of the Physical Society Conference on the Physics of the Ionosphere, Physical Society, London, 229.
- Dungey, J.W. (1955). The physics of the ionosphere. The Physical Society, London, 21.
- Dungey, J.W. (1967). The theory of the quiet magnetosphere, in Proceedings of the 1966 Symposium on Solar-Terrestrial Physics, Belgrade, King, J.W. and Newman, W.S. (eds.), 91-106.
- Eckersley, T.L. (1935). Musical atmospherics. *Nature*, 135, 104-5.
- Edgar, B. C. (1976). The upper- and lower-frequency cutoffs of magnetospherically reflected whistlers. *Journal of Geophysical Research*, 81, 205-11.
- Ejiri, M. (1978). Trajectory traces of charged particles in the magnetosphere. *Journal of Geophysical Research*, 83, 4798-810.
- Ejiri, M., Hoffman, R.A. & Smith, P.H. (1978). The convection electric field model for the magnetosphere based on EXPLORER 45 observations. *Journal of Geophysical Research*, 83, 4811-15.
- Engebretson, M.J., Cahill, L.J. Jr., Arnoldy, R.L., Anderson, B.J., Rosenberg, T.J., Carpenter, D.L., Inan, U.S. & Eather, R.H. (1991). The role of the ionosphere in coupling upstream ULF wave power into the dayside magnetosphere. *Journal of Geophysical Research*, 96, 1527-42.

- Engebretson, M.J., Zanetti, L.J., Potemra, T.A. & Acuna, M.H. (1986). Harmonically structured ULF pulsations observed by the AMPTE/CCE magnetic field experiment. *Geophysical Research Letters*, 13, 905-8.
- Etcheto, J. & Bloch, J.J. (1978). Plasma density measurements from the GEOS-1 relaxation sounder. *Space Science Reviews*, 22, 597-610.
- Evans, J.V. (1972). Measurements of horizontal drifts in the E and F regions at Millstone Hill. *Journal of Geophysical Research*, 73, 2341-52.
- Evans, J.V. & Holt, J.M. (1978). Night-time proton fluxes at Millstone Hill. *Planetary and Space Science*, 26, 727-44.
- Evans, J.V., Holt, J.M., Oliver, W.L. & Wand, R.H. (1980). Millstone Hill incoherent scatter observations of auroral convection over 60-Lambda -75. 2. Initial results. *Journal of Geophysical Research*, 85, 41-54.
- Eviatar, A., Lencheck, A.M. & Singer S.F. (1964). Distribution of density in an ion-exosphere of a nonrotating planet. *Physics of Fluids*, 7, 1775-9.
- Fahleson, U., Fälthammar, C.-G., Pedersen, A., Knott, K., Brommundt, G., Schumann, G., Haerendel, G. & Rieger, E. (1971). Simultaneous electric field measurements made in the auroral ionosphere by using three independent techniques. *Radio Science*, 6, 233-45.
- Fahr, H.J. and Shizgal, B. (1983). Modern exospheric theories and their observational relevance. *Reviews of Geophysics and Space Physics*, 21, 75-124.
- Fairfield, D.H. & Vinas, A.F. (1984). The inner edge of the plasma sheet and the diffuse aurora, *Journal of Geophysical Research*, 89, 841-54.
- Fälthammar, C.-G., Block, L.P., Lindqvist, P.-A., Marklund, G.T., Pedersen, A. & Mozer, F.S. (1987). Preliminary results from the D.C. electric field experiment on Viking. *Annales Geophysicae*, 5A, 171-5.
- Farrugia, C.J., Geiss, J., Young, D.T. and Balsiger, M. (1988). GEOS-1 observations of low-energy ions in the earth's plasmasphere: a study on composition, and temperature and density structure under quiet geomagnetic conditions. *Advances in Space Research*, 8(8), 25-33.
- Farrugia, C.J., Young, D.T., Geiss, J. & Balsiger, M. (1989). The composition, temperature and density structure of cold ions in the quiet terrestrial plasmasphere : GEOS-1 results. *Journal of Geophysical Research*, 94, 11865-91.
- Filippov, V.M., Shestakova, L.V. & Gal'perin, Yu.I. (1984). Belt of fast ion drift in the subauroral F-region and its manifestation in the structure of the high-latitude ionosphere. *Kosmicheskie Issledovanya*, 22, 557-64.
- Fok, M.-C., Kozyra, J.U., Nagy, A.F., Rasmussen, C.E. & Khazanov, G.V. (1993). Decay of equatorial ring current ions and associated aeronomical consequences, *Journal of Geophysical Research*, 19381-93.
- Fok, M.-C., Moore, T.E., Kozyra, J.U., Ho, G.C. & Hamilton, D.C. (1995). Three-dimensional ring current decay model. *Journal of Geophysical Research*, 100, 9619-32.
- Fontaine, D. & Blanc, M. (1983). A theoretical approach to the morphology and the dynamics of diffuse auroral zones. *Journal of Geophysical Research*, 88, 7171-7184.
- Fontaine, D., Blanc, M., Reinhart, L. & Glowinski, R., (1985). Numerical simulations of the magnetospheric convection including the effects of electron precipitation. *Journal of Geophysical Research*, 90, 8343-60.

Fontaine, D., Perraut, S., Alcayd,, D., Caudal, G. & Higel, B. (1986). Large-scale structures of the convection inferred from coordinated measurements by EISCAT and GEOS 2. *Journal of Atmospheric and Terrestrial Physics*, 48, 973-86.

F"rster, M. & Jakowski, N. (1988). The nighttime winter anomaly (NWA) efect in the american sector as a consequence of interhemispheric ionospheric coupling. *PAGEOPH*, 127, 447-71.

F"rster, M., Jakowski, N., Best, A. & Shmilauer, Y. (1992). Plasmaspheric response to the geomagnetic storm period March 20-23, 1990, observed by the ACTIVNY (MAGION-2) satellite. *Canadian Journal of Physics*, 70, 569-74.

F"rster, M., Schwarz, U., Fatkullin, M.N., Gasilov, N.A. & Markwardt, M. (1994). Irregular structure of the mid-latitude to subauroral topside ionosphere during different levels of magnetic activity, *Proceedings of the 1992 STEP-symp/COSPAR Colloq. No. 5*, Ed. by D.B. Baker, V.O. Papitashvili ad M.J. Teague, Pergamon Press, 379-82.

Foster, J.C. (1983). An empirical electric field model derived from Chatanika radar data. *Journal of Geophysical Research*, 88, 981-7.

Foster, J.C. (1984). Ionospheric signatures of magnetospheric convection. *Journal of Geophysical Research*, 89, 855-65.

Foster, J.C. (1993). Storm time plasma transport at middle and high latitudes. *Journal of Geophysical Research*, 98, 1675-89.

Foster, J.C. (1995). Radar observations of magnetosphere-ionosphere coupling at mid and high latitudes. *J. Geomag. Geoelectr.*, 47, (in press).

Foster, J.C. & Aarons, J. (1988). Enhanced antisunward convection and F region scintillations at mid-latitudes during storm onset. *Journal of Geophysical Research*, 93, 11537-42.

Foster, J.C., Holt, J.M., Musgrove, R.G. & Evans, D.S. (1986a). Ionospheric convection associated with discrete levels of particle precipitation. *Geophysical Research Letters*, 13, 656-9.

Foster, J.C., Holt, J.M., Musgrove, R.G. & Evans, D.S. (1986b). Solar wind dependencies of high-latitude convection and precipitation. in *Solar Wind-Magnetosphere Coupling*, Eds. Y. Kamide and J.A. Slavin, TERRAPUB, Tokyo, p. 477-94.

Fraser-Smith, A.C. (1987). Centered and eccentric geomagnetic dipoles and their poles, 1600-1985. *Reviews of Geophysics*, 25, 1-16.

Fraser-Smith, A. C. (1993). ULF magnetic fields generated by electrical storms and their significance to geomagnetic pulsation generation. *Geophysical Research Letters*, 20, 467-70.

Freeman, R., Norman, K. & Willmore, A.P. (1970). Electron density measurements in the thermal plasma of the magnetosphere using a Langmuir probe, in "International satellite observations (ed. by V. Manno and D.E. Page) Reidel, Dordrecht, 524-34.

Freeman, M.P., Southwood, D.J., Lester, M., Yeoman, T.K. & Reeves, G.D. (1992). Substorm-associated radar auroral surge. *Journal of Geophysical Research*, 97, 12173-85.

Fridman, M. & Lemaire, J. (1980). Relationship between auroral electrons fluxes and field-aligned electric potential difference. *Journal of Geophysical Research*, 85, 664-70.

Gail, W.B. & Carpenter, D.L.(1984). Whistler induced suppression of VLF noise. *Journal of Geophysical Research*, 89, 1015-22.

Galeev, A.A. (1975). Plasma turbulence in the magnetosphere with special regard to plasma heating, in *Physics of the hot Plasma in the magnetosphere*, Ed. B. Hultqvist and L. Stenflo, pp. 251-70, Plenum Press, New York.

Gallagher, D.L. & Craven, P.D. (1988). Initial development of a new empirical model of the Earth's inner magnetosphere for density, temperature, and composition. In Modelling Magnetospheric Plasma, Geophysic Monograph Series, vol. 44, ed. T.E. Moore and J.H. Waite, Jr., pp. 61-?, Washington, D.C: American Geophysical Union

Gallagher, D.L., Craven, P.D. & Comfort, R.H. (1988). An empirical model of the earth's plasmasphere. *Advances in Space Research*, 8(8), 15-24.

Gal'perin, Yu.I., Crasnier, J., Lissakov, Yu.V., Nikolayenko, L.M., Sinitsyn, V.M., Sauvaud, J.-A. & Khalipov, V.L. (1977). The diffuse auroral zone. I. A model for the equatorial boundary of the diffuse surge zone of auroral electrons in the evening and midnight sectors. *Kosmicheskie Issledovanya*, 15, 421-34.

Gal'perin, Yu.I. & Feldstein, Ya. I. (1991). Auroral luminosity and its relationship to magnetospheric plasma domains, *Auroral Physics*, eds.: Meng, C.-I, M.J. Rycroft, and L.A. Frank, Cambridge UP, Cambridge, 207-22.

Gal'perin, Yu.I., Khalipov, V.L. & Filippov, V.M. (1986). Signature of rapid subauroral ion drifts in the high-latitude ionosphere structure. *Annales Geophysicae*, 4, 145-54.

Gal'perin, Yu.I., Ponomarev, Y.N. & Zosimova, A.G. (1973a). Direct measurements of drift rate of ions in the upper atmosphere during a magnetic storm 1. I. Problems of method and some results of measurements during magnetically quiet period. *Kosmicheskie Issledovaniya*, 11, 273-83.

Gal'perin, Yu.I., Ponomarev, V.N. & Zosimova, A.G. (1973b). Direct measurements of ion drift velocity in the upper ionosphere during a magnetic storm, 2. Experiment quiet time. *Kosmicheskie Issledovanya*, 11, 284-96.

Gal'perin, Yu. I., Ponomarev, V.N. & Zosimova, A.G. (1974). Plasma convection in polar ionosphere. *Annales de Géophysique*, 30, 1-7.

Gal'perin, Yu. I., Ponomarev, V.N., Ponomarev, Yu. N. & Zosimova, A.G. (1975). Plasma convection in the evening sector of the magnetosphere and the nature of the plasmapause. *Kosmicheskie Issledovanya*, 18, 669-86.

Gal'perin, Yu.I., Soloviev, V.S., Torkar, K. & Foster, J.C. (1995). Predicting the plasmaspheric density radial profiles for the INTERBALL space mission (in preparation).

Ganguli, S.B., Mitchell, H.G.Jr. & Palmadesso, P.J. (1987). Behavior of ionized plasma in the high latitude topside ionosphere. *Planetary and Space Science*, 35-703-13.

Ganguli, S.B. & Palmadesso, P.J. (1987). Plasma transport in the auroral return current region. *Journal of Geophysical Research*, 92, 8673-90.

Gary, D. E. & Hurford, G. J. (1989). Solar radio burst spectral observations, particle acceleration, and wave-particle interactions. In *Solar System Plasma Processes*, ed. J. H. Waite, Jr., J. L. Burch and R. L. Moore, p. 237, Washington, D. C.: American Geophysical Union.

Gary, S.P., Moldwin, M.B., Thomsen, M.F., Winske, D. & McComas, D.J. (1994). Hot proton anisotropies and cool protons temperatures in the outer magnetosphere. *Journal of Geophysical Research*, 99, 23,603-15.

Geisler, J.E. (1967). On the limiting daytime flux of ionization into the protonosphere. *Journal of Geophysical Research*, 72, 81-5.

Geisler, J.E. & Bowhill, S.A. (1965). The relation between the dispersion of whistler and the electron temperature in the protonosphere. *Journal of Atmospheric and Terrestrial Physics*, 27, 122-5.

Geiss, J., Balsiger, H., Eberhardt, P., Walker, H.P., Weber, L., Young, D.T. & Rosenbauer, H. (1978). Dynamics of magnetospheric ion composition as observed by GEOS mass spectrometer. *Space Science Reviews*, 22, 537-66.

- Geiss, J. & Young, D.T. (1981). Production and transport of O++ in the ionosphere and plasmasphere. *Journal of Geophysical Research*, 86, 4739-50.
- Giles, B.L., Chappell, C.R., Moore, T.E., Comfort R.H. & Waite, J.H. Jr. (1994). Statistical survey of pitch angle distributions in core (0-50 eV) ions from Dynamics Explorer 1: Outflow in the auroral zone, polar cap, and cusp. *Journal of Geophysical Research*, 99, 17483-501.
- Glass, N.W., Wolcott, J.H., Miller, L.W. & Robertson, M.M. (1970). Local time behavior of the alignment and position of a stable auroral red arc. *Journal of Geophysical Research*. 75, 2579-82.
- Glassmeier, K.H.(1994). Geomagnetic pulsations. In *Handbook of Atmospheric Electrodynamics*, Vol. II, ed. H. Volland, Boca Raton, Florida : CRC Press, Inc.
- Gold, T. (1959). Motions in the magnetosphere of the earth. *Journal of Geophysical Research*, 61, 1219-24.
- Gombosi, T.I. (1994). Gas kinetic theory, Cambridge University Press, Cambridge, England.
- Gombosi, T.I. & Nagy, A.F. (1988). Time dependent polar wind modeling. *Advances in Space Research*, 8(8), 59-68.
- Gombosi, T.I. & Rasmussen, C.E. (1991). Transport of gyration-dominated space plasmas of thermal origin. 1. Generalized transport equations. *Journal of Geophysical Research*, 96, 7759-78.
- Gonzales, C.A., Kelley, M.C., Carpenter, D.L., Miller, T.R. & Wand, R.H. (1980). Simultaneous measurements of ionospheric and magnetospheric electric fields in the outer plasmasphere. *Geophysical Research Letters*, 7, 517-20.
- Gorbachev, O.A., Khazanov, G.V., Gamayunov & Krivorutsky, E.N. (1992). A theoretical model for the ring current interaction with the Earth's plasmasphere. *Planetary and Space Science*, 40, 859-72.
- Gorbachev, O.A., Konikov, Yu. V. & Khazanov, G.V. (1988). Quasilinear heating of electrons in the earth's plasmasphere. *Pure Appl. Geophysics*, 127, 545-59.
- Grebowsky, J.M. (1970). Model study of plasmapause motion. *Journal of Geophysical Research*, 75, 4329-33.
- Grebowsky, J.M. (1971). Time dependent plasmapause motion. *Journal of Geophysical Research*, 76, 6193-7.
- Grebowsky, J.M. (1972). Model development of supersonic trough wind with shocks. *Planetary Space Science*, 20, 1923-34.
- Grebowsky, J.M. & Chen, A.J. (1976). Effects on the plasmasphere of irregular electric fields. *Planetary and Space Science*, 24, 689-96.
- Grebowsky, J.M., Hoegy, W.R. & Chen, T.C. (1990). Solar maximum-minimum extremes in the summer noontime polar cap F region ion composition: the measurements. *Journal of Atmospheric and Terrestrial Physics*, 95, 12269-76.
- Grebowsky, J.M., Hoegy, W.R. & Chen, T.C. (1993). High latitude field aligned light ion flows in the topside ionosphere deduced from ion composition and plasma temperature. *Journal of Atmospheric and Terrestrial Physics*, 55, 1605-17.
- Grebowsky, J.M., Hoffman, J.H. & Maynard, N.C. (1978). Ionospheric and magnetospheric "plasmapauses". *Planetary and Space Science*, 26, 651-60.
- Grebowsky, J.M., Maynard, N.C., Tulunay, Y.K. & Lanzerotti, L.J. (1976). Coincident observations of ionospheric troughs and the equatorial plasmapause. *Planetary and Space Science*, 24, 1177-85.
- Grebowsky, J.M., Tulunay, Y. & Chen, A.J. (1974). Temporal variations in the dawn and dusk midlatitude trough and plasmapause position. *Planetary and Space Science*, 22, 1089-99.

Green, J.L., Benson, R.F., Fung, S.F., Smith, M.F., Calvert, W., Carpenter, D.L., Gallagher, D.L., Reiff, P.H., Reinsich, B.W. & Taylor, W.W.L. (1994). Magnetospheric Radio Sounding, (Proposal to NASA).

Green, J.L., Waite, J.H., Jr., Chappell, C.R., Chandler, M.O., Doupinik, J.R., Richards, P.G., Heelis, R., Shawnan, S.D. & Brace, L.H. (1986). Observations of ionospheric magnetospheric coupling: DE and Chatanika coincidences. *Journal of Geophysical Research*, 91, 5803-15.

Greenspan, M.E., Burke, W.J., Rich, F.J., Hughes, W.J. & Heelis, R.A. (1994). DMSP F8 observations of the mid-latitude and low-latitude topside ionosphere near solar minimum. *Journal of Geophysical Research*, 99, 3817-26.

Greenstadt, E.W., McPherron, R.L., Anderson, R.R. & Scarf, F.L. (1986). A storm time , Pc 5 event observed in the outer magnetosphere by ISEE 1 and 2: wave properties. *Journal of Geophysical Research*, 91, 13398-410.

Greenstadt, E.W., McPherron, R.L. & Takahashi, K. (1980). Solar wind control of daytime, midperiod geomagnetic pulsations. *Journal of Geomagnetism and Geoelectricity*, 32, 89-110.

Grigor'ev, S.A. (1991). Processes in the recovery of the plasmasphere. 1. Dynamics of the H⁺ ions. *Cosmic Research*, 29, 85-94.

Gringauz, K.I. (1958). Rocket measurements of electron density in the ionosphere by means VHF-dispersion inferferometer. *Doklady Akademii Nauk. SSSR*, 120, 1234.

Gringauz, K.I. (1961a). Some results of experiments in interplanetary space by means of charged particle traps on soviet space probes. *Space Research II*, 539-53.

Gringauz, K.I. (1961b). The structure of the Earth's ionized gas envelope based on local charged particle concentrations measured in the USSR. *Space Research II*, 574-92.

Gringauz, K.I. (1963). The structure of the ionized gas envelope of Earth from direct measurements in the USSR of local charged particle concentrations. *Planetary and Space Science*, 11, 281-96.

Gringauz, K.I. (1965). Some results of USSR experiments in the ionosphere and interplanetary space, in "Progress in Radio Science 1960-1963", III, The Ionosphere, (Ed.) G.M. Brown, Elsevier Publ. Co., Amsterdam, p. 65-75.

Gringauz, K.I. (1983). Plasmasphere and its interaction with the ring current. *Space Science Reviews*, 34, 245-57.

Gringauz, K.I. (1985). Structure and properties of the Earth's plasmasphere. *Advances in Space Resarch*, 5(4), 391-400.

Gringauz, K.I. & Bezrukikh, V.B. (1976). Asymmetry of the Earth's Plasmasphere in the direction noon-midnight from PROGNOZ-1 and PROGNOZ-2 data. *Journal of Atmospheric and Terrestrial Physics*, 38, 1071-6.

Gringauz, K.I. & Bezrukikh, V.V. (1977). Plasmasphere of the earth (review). *Geomagnetizm i Aeronomiya*, 17, 784-803.

Gringauz, K.I., Bezrukikh, V.V., Musatov, L.S., Rybchinsky, R.E. & Sheronova, S.M. (1964). Measurements made in the earth's magnetosphere by means of charged particle traps aboard the Mars-1 probe. *Space Research*, 4, 621-6.

Gringauz, K.I., Bezrukikh, V.V. & Ozerov, V.D. (1961). The results of measurements of the concentration of positive ions in the atmosphere by means of ion traps aboard the third SPUTNIK, in Artificial Earth Satellites, 6, 63-100.

Gringauz, K.I., Bezrukikh, V.V., Ozerov, V.D. & Rybchinsky, R.E. (1960a). The study of the interplanetary ionized gas, high-energy electrons and corpuscular radiation of the Sun, employing three-electrode charged particle traps on the second Soviet space rocket. *Doklady Akademii Nauk*

SSSR, 131, 1302-4; translated in (1960) Soviet Physics Doklady, 5, 361-4; published again in (1962) Planetary and Space Science, 9, 103-7.

Gringauz, K.I., Kurt, V.G., Moroz, V.I. & Shklovsky, I.S. (1960b). Ionized gas and fast electrons near the earth and in the interplanetary space. Doklady Akademii Nauk. SSSR, 132, 1062-5.

Gringauz, K.I., Kurt, V.G., Moroz, V.I. & Shklovsky, I.S. (1960c). Results of observations of charged particles up to R=100,000 km with the aid of charged particle traps on Soviet cosmic rockets. Astronomicheskii. Zhurnal, 716-35; translated in 1961, Soviet Astronomy A.J., 4, 680-95.

Gringauz, K.I. & Zelikman, M.C. (1957). A measurement of the positive ion density along the orbit of an artificial earth satellite. Uspekhi Fizicheskikh Nauk, 63, 239-52.

Guiter, S.M. & Gombosi, T.I. (1990). The role of high-speed plasma flows in plasmaspheric refilling. Journal of Geophysical Research, 95, 10427.

Guiter, S.M., Gombosi, T.I. & Rasmussen, C.E. (1995). Two-stream modeling of plasmaspheric refilling. Journal of Geophysical Research, 100, 9519-26.

Guiter, S.M., Rasmussen, C.E., Gombosi, I.I., Sojka, J.J. & Schunk, R.W. (1995). What is the source of observed annual variations in the plasmaspheric density ?, submitted to Journal of Geophysical Research.

Gurevich, A.V., Krylov, A.L. & Tsedilina, Ye.Ye. (1976). Electric fields in the earth's magnetosphere and ionosphere. Space Science Review, 19, 59-160.

Gurnett, D.A. (1974). The earth as a radio source: terrestrial kilometric radiation. Journal of Geophysical Research, 79, 4227-38.

Gurnett, D.A. (1976). Plasma wave interactions with energetic ions near the magnetic equator. Journal of Geophysical Research, 81, 2765-70.

Gurnett, D.A., Anderson, R.R., Scarf, F.L., Fredricks, R.W. & Smith, E.J. (1979). Initial results from the ISEE-1 and -2 plasma wave investigation. Space Science Reviews, 23, 103-22.

Gurnett D.A. & Frank L.A. (1974). Thermal and suprathermal plasma densities in the outer magnetosphere. Journal of Geophysical Research, 79, 2355-61.

Gurnett, D.A. & Inan, U.S. (1988). Plasma wave observations with the Dynamics Explorer 1 spacecraft. Reviews of Geophysics, 26, 285-316.

Gurnett, D.A. & Scarf, F.L. (1967). Summary report on session on new developments. In Progress in Radio Science, 1963-1966, pp. 1106-7. Brussels: International Union of Radio Science.

Gurnett D.A. & Shaw R.R. (1973). Electromagnetic radiation trapped in the magnetosphere above the plasma frequency. Journal of Geophysical Research, 78, 8136-49.

Guthart, H. (1965). An anisotropic electron velocity distribution for the cyclotron absorption of whistlers and VLF emissions. Radio Science, 69D, 1403-15.

Hamar, D., Tarcsai, Gy., Lichtenberger, J., Smith, A.J. & Yearby, K.H. (1990). Fine structure of whistlers recorded digitally at Halley, Antarctica. Journal of Atmospheric and Terrestrial Physics, 52, 801-10.

Hanson, W.B. (1962). Upper atmosphere helium ions. Journal of Geophysical Research, 67, 183-8.

Hanson, W.B. (1964). Dynamic diffusion process in the exosphere. In Electron Density Distribution in the Ionosphere and Exosphere, ed. E. Thrane, pp. 361-370, Amsterdam: North-Holland.

Hanson, W.B., Heelis, R.A. & Power, R.A., Lippincott, C.R., Zuccaro, D.R., Holt, B.J., Harmon, L.H. & Sanatani, S. (1981). The retarding potential mass spectrometer for the Dynamics Explorer-B. Space Science Instrumentation, 5, 503-10.

- Hanson, W.B. & Ortenburger, I.B. (1961). The coupling between the protonosphere and the normal F region. *Journal of Geophysical Research*, 66, 1425-35.
- Hanson, W.B. & Patterson, T.N.L. (1963). Diurnal variation of the hydrogen concentration in the exosphere. *Planetary and Space Science*, 11, 1035-52.
- Hanson, W.B. & Patterson, T.N.L. (1964). The maintenance of the nighttime F-layer. *Planetary and Space Science*, 12, 979-97..
- Hanson, W.B., Patterson, T.N.L., & Degaonkar S.S. (1963). Some deductions from a measurement of the hydrogen ion distribution in the high atmosphere. *Journal of Geophysical Research*, 68, 6203-5.
- Harel, M. & Wolf, R.A. (1976). Convection, in "Physics of solar planetary environments, vol. 2, edited by D.J. Williams, AGU, Washington D.C., 617-29.
- Harris, I., & Priester, W.(1962). Theoretical models for the solar-cycle variation of the upper atmosphere. *Journal of Geophysical Research*, 67, 4585-91.
- Harris, K.K., Sharp, G.W. & Chappell, C.R. (1970). Observations of the plasmapause from OGO-5. *Journal of Geophysical Research*, 75, 219-24.
- Hartle, R.E. (1969). Ion-exosphere with variable conditions at the baropause. *Physics of Fluids*, 12, 455-62.
- Hasegawa, A. (1971). Drift wave instability at the plasmapause. *Journal of Geophysical Research*, 76, 5361-4.
- Hayakawa, M. (1994). Whistlers. In *Handbook of Atmospheric Electrodynamics*, Vol. II, ed. H. Volland, Boca Raton, Florida: CRC Press, Inc.
- Hayakawa , M. & Sazhin, S.S. (1992). Mid-latitude and plasmaspheric hiss: a review. *Planetary and Space Science*, 40, 1325-38.
- Heelis, R.A., Bailey, G.J., Sellek, R., Moffett, R.J. & Jenkins, B. (1993). Field-aligned drifts in subauroral ion drift events. *Journal of Geophysical Research*, 98, 21493-9.
- Heelis, R.A. & Coley, W.R. (1992). East-West ion drifts at mid-latitudes observed by Dynamics Explorer 2. *Journal of Geophysical Research*, 97, 19461-69.
- Heelis, R.A., Coley, W.R., Loranc, M. & Hairston, M.R. (1992). Three-dimensional ionospheric plasma circulation. *Journal of Geophysical Research*, 97, 13903-10.
- Heelis, R.A., Hanson, W.B. & Bailey, G.J. (1990). Distributions of He+ at middle and equatorial latitudes during solar maximum. *Journal of Geophysical Research*, 95, 10313-20.
- Heelis, R.A., Hanson, W.B. & Lippincott, C.R., Zuccaro, D.R., Harmon, L.H., Holt, B.J., Doherty, J.E. & Power, R.A. (1981). The ion drift meter for Dynamics Explorer-B. *Space Science Instrumentation*, 5, 511-21.
- Heelis, R.A., Murphy, J.A. & Hanson, W.B. (1981). A feature of the behavior of He+ in the nightside high-latitude ionosphere during equinox. *Journal of Geophysical Research*, 86, 59-64.
- Helliwell, R.A. (1961). Exospheric electron density variations deduced from whistlers. *Annales de Gophysique*, 17, 76-81.
- Helliwell, R.A. (1963). Coupling between the ionosphere and the earth-ionosphere waveguide at very low frequencies. In *Proceedings of the International Conference on the Ionosphere*, London, July 1962, pp. 452-460. Dorking, England: Bartholomew Press.
- Helliwell, R.A. (1965). *Whistlers and Related Ionospheric Phenomena*, Stanford, California: Stanford University Press.

- Helliwell, R.A. (1967). A theory of discrete VLF emissions from the magnetosphere. *Journal of Geophysical Research*, 72, 4773-90.
- Helliwell, R.A. (1969). Low frequency waves in the magnetosphere. *Reviews of Geophysics*, 7, 281-303.
- Helliwell, R.A. (1988). VLF wave stimulation experiments in the magnetosphere from Siple Station, Antarctica. *Reviews of Geophysics*, 26, 551-78.
- Helliwell, R.A. & Carpenter, D.L. (1961). Whistlers-West IGY-IGC Synoptic Program. Final Report National Science Foundation Grants IGY 6.10/20 and G-8839, Radioscience Laboratory. Stanford, California: Stanford University.
- Helliwell, R.A. & Carpenter, D.L. (1962). Whistlers-West results from the IGY/IGC-59 synoptic program. *Transactions of the American Geophysical Union*, 43(1), 125-133.
- Helliwell, R.A., Crary, J.H., Katsufakis, J.P. & Trimpi, M.L. (1961). The Stanford University Real-time Spectrum Analyzer. Tech. rept. no. 10, Air Force Contract no. AF 18(603)-126. Radioscience Laboratory. Stanford, California: Stanford University.
- Helliwell, R.A., Crary, J.H., Pope, J.H. & Smith, R.L. (1956). The "nose" whistler - a new high-latitude phenomenon. *Journal of Geophysical Research*, 61(1), 139-42.
- Helliwell, R.A. & Gehrels, E. (1958). Observations of magneto-ionic duct propagation using man-made signals of very low frequency. *Proceedings of the Institute of Electrical and Electronic Engineers*, 46, 4, 185-7.
- Helliwell, R.A., Jean, A.G. & Taylor, W.L. (1958). Some properties of lightning impulses which produce whistlers. *Proceedings I.R.E.*, 46, 10, 1760-72.
- Helliwell, R.A. & Katsufakis, J.P. (1974). VLF wave injection into the magnetosphere from Siple Station, Antarctica. *Journal of Geophysical Research*, 79, 2511-8.
- Helliwell, R.A., Katsufakis, J.P. & Trimpi, M. (1973). Whistler-induced amplitude perturbation in VLF propagation. *Journal of Geophysical Research*, 78, 4679-88.
- Helliwell, R.A., Mende, S.B. & Doolittle, J.H., Armstrong, W.C. & Carpenter, D.L. (1980). Correlations between D 4278 optical emissions and VLF wave events observed at L ~ 4 in the Antarctic. *Journal of Geophysical Research*, 85, 3376-86.
- Heppner J.P. & Maynard, N.C. (1987). Empirical high latitude electric field models. *Journal of Geophysical Research*, 92, 4467-89.
- Higel, B. & Lei, L. (1984). Electron density and plasmapause characteristics at 6.6 RE : A statistical study of the GEOS 2 relaxation sounder data. *Journal of Geophysical Research*, 89, 1583-601.
- Higel, B. & Wu L. (1984). Electron density and plasmapause characteristics at 6.6 RE : a statistical study of the GEOS 2 relaxation sounder data. *Journal of Geophysical Research*, 89, 1583-601.
- Ho, D. & Carpenter, D.L. (1974). Outlying plasmasphere structure detected by whistlers. *Planetary and Space Science*, 24, 987-94.
- Hoch, R.J. & Clark, K.C. (1970). Recent occurrences of stable auroral red arcs. *Journal of Geophysical Research*, 75, 2511-5.
- Hoch, R.J. & Lemaire, J. (1975). Stable auroral red arcs and their importance for the physics of the plasmapause region. *Annales de Géophysique*, 31, 105-10.
- Hoch, R.J. & Smith, L.L. (1971). Location in the magnetosphere of field lines leading to SAR arcs. *Journal of Geophysical Research*, 76, 3079-86.

- Hoegy, W.R. & Grebowsky, J.M. (1994). Comparison of ion composition from the Goddard Comprehensive Ionosphere Database with the International Reference Ionosphere Model. *Advances in Space Research*, 14(12), 121-4 and 171.
- Hoffman, J.H. & Dodson, W.H. (1980). Light ion concentrations and fluxes in the polar regions during magnetically quiet times. *Journal of Geophysical Research*, 85, 626-32.
- Hoffman, J.H., Dodson, W.H., Lippincott, C.R. & Hammack, H.D. (1974). Initial ion composition results from the ISIS 2 satellite. *Journal of Geophysical Research*, 79, 4246-51.
- Holzer, R.E., Farley, T.A., Burton, R.K. & Chapman, M.C. (1974). A correlated study of ELF waves and electron precipitation on OGO 6. *Journal of Geophysical Research*, 79, 1007-13.
- Holzer, T.E., Fedder, J.A. & Banks, P.M. (1991). A comparison of kinetic and hydrodynamic models of an expanding ion-exosphere. *Journal of Geophysical Research*, 76, 2453-68.
- Horwitz, J.L. (1981). ISEE 1 observations of O⁺⁺ in the magnetosphere. *Journal of Geophysical Research*, 86, 9225-9.
- Horwitz, J.L. (1983). Plasmapause diffusion. *Journal of Geophysical Research*, 88, 4950-2.
- Horwitz, J.L. (1995). The ionosphere's wild ride in outer space. *Reviews of Geophysics*, 33, Suppl., 703-8.
- Horwitz, J.L., Brace, L.H., Comfort, R.H. & Chappell, C.R. (1986). Dual spacecraft measurements of plasmasphere-ionosphere coupling. *Journal of Geophysical Research*, 91, 11203-16.
- Horwitz, J.L. & Chappell, C.R. (1979). Observations of warm plasma in the dayside plasma trough at geosynchronous orbit. *Journal of Geophysical Research*, 84, 7075-90.
- Horwitz, J.L., Comfort, R.H. & Chappell, C.R. (1984). Thermal ion composition measurements of the formation of the new outer plasmasphere and double plasmapause during storm recovery phase. *Geophysical Research Letters*, 11, 701-4.
- Horwitz, J.L., Comfort, R.H. & Chappell, C.R. (1986). Plasmasphere and plasmapause region characteristics as measured by DE-1. *Advances in Space Research*, 6(3), 21-9.
- Horwitz, J.L., Comfort, R.H. & Chappell, C.R. (1990). A statistical characterization of plasmasphere density structure and boundary locations. *Journal of Geophysical Research*, 95, 7937-47.
- Horwitz, J.L., Comfort, R.H., Richards, P.G., Chandler, M.O., Chappell, C.R., Anderson, P., Hanson, W.B. & Brace, C.R. (1990). Plasmasphere-Ionosphere coupling 2. Ion composition measurements at plasmaspheric and ionospheric altitudes and comparison with modeling results. *Journal of Geophysical Research*, 95, 7949-59.
- Horwitz, J.L., Ho, C.W., Scarbo, H.D., Wilson, G.R. & Moore, T.E. (1994). Centrifugal acceleration of the polar wind. *Journal of Geophysical Research*, 99, 15051-64.
- Horwitz, J.L., Menteer, S., Turnley, J., Burch, J.L., Winningham, J.D., Chappell, C.R., Craven, J.D., Frank, L.A. & Slater, D.W. (1986). Plasma boundaries in the inner magnetosphere. *Journal of Geophysical Research*, 91, 8861-82.
- Horwitz, J.L. & Singh, N. (1991). Refilling of the Earth's plasmasphere. *EOS*, 72 (37), 399-402.
- Horwitz, J.L., Wilson, G.R., Lin, J., Brown, D.G. & Ho, C.W. (1993). Plasma transport in the ionosphere-magnetosphere system using semi-kinetic models, in *Rarefied Gas Dynamics*, 18, UBC, Vancouver, July 1992.
- Huang, C.Y., Goertz, C.K. & Anderson, R.R. (1983). A theoretical study of plasmaspheric hiss generation. *Journal of Geophysical Research*, 88, 7927-40.
- Huang, T.S., Wolf, R.A. & Hill, T.W. (1990). Interchange instability of the Earth's plasmapause. *Journal of Geophysical Research*, 95, 17187-8.

- Hultqvist, B. (1971). On the production of a magnetic field aligned electric field by interaction between the hot magnetospheric plasma and the cold ionosphere. *Planetary Space Science*, 19, 749-59.
- Hurren, P.J., Smith, A.J., Carpenter, D.L. & Inan, U.S. (1986). Burst precipitation induced perturbations on multiple VLF propagation paths in Antarctica. *Annales Geophysicae*, 4A, 311-18.
- Imhof, W.L., Voss, H.D., Mobilia, J., Walt, M., Inan, U. S. & Carpenter, D.L. (1989). Characteristics of short-duration electron precipitation bursts and their relationship with VLF wave activity. *Journal of Geophysical Research*, 94, 10079-93.
- Inan, U.S., Bell, T.F. & Anderson, R.R. (1977). Cold plasma diagnostics using satellite measurements of VLF signals from ground transmitters. *Journal of Geophysical Research*, 82, 1167-76.
- Inan, U.S., Knifsend, F.A. & Oh, J. (1990). Subionospheric VLF "imaging" of lightning-induced electron precipitation from the magnetosphere. *Journal of Geophysical Research*, 95, 17217-31.
- Iversen, I.B., Block, L.P., Br"nstad, K., Grard, R., Haerendel, G., Junginger, H., Korth, A., Kremser, G., Madsen, M., Niskanen, J., Riedler, W., Tanskanen, P., Torkar, K.M. & Ullaland, S. (1984). Simultaneous observations of a pulsation event from the ground, with balloons and with a geostationary satellite on August 12, 1978. *Journal of Geophysical Research*, 89, 6775-85.
- Jacobson, A.B. & Erickson, W.C. (1993). Observations of electron-density irregularities in the plasmasphere using the VLA radio-interferometer. *Annales de G,ophysique*, 11, 869-73.
- Jaggi, R.K. & Wolf, R.A. (1973). Self-consistent calculation of the motion of a sheet of ions in the magnetosphere. *Journal of Geophysical Research*, 78, 2852-66.
- James, H.G. (1972). Refraction of whistler-mode waves by large-scale gradients in the middle-latitude ionosphere. *Annales de G,ophysique*, 28, 301-39.
- James, H.G. & Bell, T.F. (1987). Spin modulation of spectrally broadened VLF signals. *Journal of Geophysical Research*, 92, 7560-8.
- Jasna, D., Inan, U.S. & Bell, T.F. (1992). Precipitation of suprathermal (100 eV) electrons by oblique whistler waves. *Geophysical Research Letters*, 19, 1639-42.
- Jiricek, F., Shmilauer, Y., Triska, P., Triskova, L. & Kudela (1996). Dynamics of the plasmasphere during magnetic storm as measured in the project active. *Advances Space Research*, 17, (10)129-34.
- Johnstone, A.D. (1994). Pitch angle diffusion of low energy electrons and positive ions in the inner magnetosphere: A review of observations and theory (COSPAR abstract D2.2-005, Hamburg, 1994).
- Johnstone, A.D., Walton, D.M., Liu, R. & Hardy, D.A. (1993). Pitch angle diffusion of low energy electrons by whistler mode waves. *Journal of Geophysical Research*, 98, 5959-67.
- Jones, D. (1976). Source of terrestrial non-thermal radiation. *Nature*, 260, 686-9.
- Jones, D. (1982). Terrestrial myriametric radiation from the earth's plasmapause. *Planetary and Space Science*, 30, 399-410.
- Jorjio, N.V., Kovrashkin, R.A., Mogilevsky, M.M., Bosqued, J.-M., Reme, H., Sauvaud, J.A., Beghin C. & Rauch J.L. (1985). Detection of suprathermal ionospheric O⁺ ions inside the plasmasphere. *Advances Space Research*, 5, (4), 141-4.
- Kamide, Y., Craven, J.D., Frank, L.A., Ahn, B.-H. & Akasofu, S.-I. (1986). Modeling substorm current systems using conductivity distributions inferred from DE auroral images. *Journal of Geophysical Research*, 91, 11235-56.
- Karlson, E.T. (1963). Streaming of a plasma trough a magnetic dipole field. *The Physics of Fluids*, 6, 708-22.

- Karlson, E.T. (1970). On the equilibrium of the magnetopause. *Journal of Geophysical Research*, 75, 2438-48.
- Karlson, E.T. (1971). Plasma flow in the magnetosphere. I. A two-dimensional model of stationary flow. *Cosmic Electrodynamics*, 1, 474-95.
- Kasahara, Y., Sawada, A., Yamamoto, M., Kimura, I., Kokubun & Karlson E.T. (1971). Plasma flow in the magnetosphere. *Cosmic Electrodynamics*, 1, 474-95.
- Kasahara, Y., Sawada, A., Yamamoto, M., Kimura, I., Kokubun & Hayashi, K. (1992). Ion cyclotron emissions observed by the satellite Akebono in the vicinity of the magnetic equator. *Radio Science*, 27-347-62.
- Kavanagh, L.D., Jr., Freeman, J.W., Jr. & Chen, A.J. (1968). Plasma flow in the magnetosphere. *Journal of Geophysical Research*, 73, 5511-9.
- Kaye, S.M. & Kivelson, M.G. (1979). Time dependent convection electric fields and plasma injection. *Journal of Geophysical Research*, 84, 4183-8.
- Kennel, C.F. & Engelmann, F. (1966). Velocity space diffusion from weak plasma turbulence in a magnetic field. *Physics of Fluids*, 9, 2377-88.
- Kennel, C.F. & Petschek, H.E. (1966). Limit on stable trapped particle fluxes. *Journal of Geophysical Research*, 71, 1-28.
- Kennel, C.F., Scarf, F.L., Fredricks, R.W., McGehee, J.H. & Coroniti, F.V. (1970). VLF electric-field observations in the magnetosphere. *Journal of Geophysical Research*, 75, 6136-52.
- Kersley, L., Hajeb-Hosseiniem, H. & Edwards, K.J. (1978). Post-geomagnetic storm protonospheric replenishment. *Nature*, 271, 429-30.
- Khalipov, V.L., Stepanov A.E. & Novopashina E. Yu. (1987). A model of the ionospheric trough polar cloff in the morning sector, *Geomagnetizm i Aeronomiya*, 27, 842-3.
- Khazanov, G.V., Gombosi, T.I., Nagy, A.F. & Koen, M.A. (1992). Analysis of the Ionosphere - Plasmasphere transport of superthermal electrons, 1. Transport in the Plasmasphere. *Journal of Geophysical Research*, 97, 16887-95.
- Khazanov, G.V., Koyen, M.A., Konikov, Yu. V. & Sidorov, I.M. (1984). Simulation of ionosphere-plasmasphere coupling taking into account ion inertia and temperature anisotropy. *Planetary and Space Sciences*, 32, 585-98.
- Khazanov, G.V. & Liemohn, M.W. (1995). Nonsteady state ionosphere-plasmasphere coupling of superthermal electrons. *Journal of Geophysical Research*, 100, 9669-81.
- Khazanov, G.V., Liemohn, M.W., Gombosi, T.I., & Nagy, A.F. (1993). Non-steady-state transport of superthermal electrons in the plasmasphere. *Geophysical Research Letters*, 20, 2821-4.
- Khazanov, G.V., Neubert, T. & Gefan, G.D. (1994). A unified theory of ionosphere-plasmasphere transport of suprathermal electrons. *IEEE Transactions on Plasma Science*, 22, 187-97.
- Kimura, I. (1966). Effects of ions on whistler-mode ray tracing. *Radio Science*, 1, 269-83.
- Kimura, I. (1989). Ray paths of electromagnetic and electrostatic waves in the Earth and planetary magnetospheres. In *Plasma Waves and Instabilities at Comets and in Magnetospheres*, ed .B. T. Tsurutani and H. Oya, pp. 161-177. Washington, D.C.: American Geophysical Union.
- Kintner, P.M. & Gurnett, D.A. (1978). Evidence of drift waves at the plasmapause. *Journal of Geophysical Research*, 83, 39-44.
- Kivelson, M.G. (1976). Mangetospheric electric fields and their variations with geomagnetic activity. *Reviews of Geophysics and Space Physics*, 14, 189-97.

- Kivelson, M.G., Kaye, S.M. & Southwood, D.J. (1979). The physics of plasma injection events, in "Dynamics of the magnetosphere", ed. Akasofu, S.-I., D. Reidel Publ. Cy, Dordrecht-Holland, 385-405.
- Kivelson, M.G. & Russell, C.T. (1973). Active experiments, magnetospheric modification, and a naturally occurring analogue. *Radio Science*, 8, 1035-48.
- Klumper, D.M. (1979). Transversely accelerated ions: an ionospheric source of hot magnetospheric ions. *Journal of Geophysical Research*, 84, 4229-37.
- Knight, S. (1973). Parallel electric field. *Planetary Space Science*, 21, 741-50.
- K"hnlein, W. & Raitt, W.J. (1977). Position of the mid-latitude trough in the topside ionosphere as deduced from ESRO 4 observations. *Planetary and Space Science*, 25, 600-2.
- Konikov, Yu., V., Gorbachev, O.A., Khazanov, G.V. & Chernov, A.A. (1989). Hydrodynamical equations for thermal electrons taking into account their scattering on ion-cyclotron waves in the outer plasmasphere of the Earth. *Planetary and Space Science*, 37, 1157-68.
- Koons, H.C. (1989). Observations of large-amplitude, whistler mode wave ducts in the outer plasmasphere. *Journal of Geophysical Research*, 94, 15393-7.
- Kopal, Z. (1989). The Roche Problem and its significance for double-star astronomy, Kluwer Academic Press, Dordrecht, ISBN 0-7923-0129-3, pp. 263.
- K"r"mezey, A., Rasmussen, C.E., Gombosi, T.I. & Khazanov, G.V. (1992). Anisotropic ion heating and parallel O⁺ accelerations in regions of rapid ExB convection. *Geophysical Research Letters*, 19, 2289-92.
- Korotova, G.I. & Sibeck, D.G. (1995). A case study of transient event motion in the magnetosphere and in the ionosphere. *Journal of Geophysical Research*, 100, 35-46.
- Kowalkowski, L. & Lemaire, J. (1979). Contribution ... l'ude des ,l,ments de plasma d,tach,s dans la magn,tosphre. *Bulletin de la Classe des Sciences, Acad,mie Royale de Belgique*. 65, 159-73.
- Kozyra, J.U., Brace, L.H., Cravens, T.E. & Nagy, A.F. (1986). A statistical study of the subauroral electron temperature enhancement using Dynamics Explorer 2 Langmuir probe observations. *Journal of Geophysical Research*, 91, 11270-80.
- Kozyra, J.U., Shelley, E.G., Comfort, R.H., Brace, L.H., Cravens, T.E. & Nagy, A.F. (1987). The role of ring current O⁺ in the formation of stable auroral red arcs. *Journal of Geophysical Research*, 92, 7487-502.
- Kozyra, J.U., Valladares, C.E., Carlson, H.C., Buonsanto, M.J. & Slater, D.W. (1990). A theoretical study of the seasonal and solar cycle variations at stable auroral red arcs. *Journal of Geophysical Research*, 95, 12219-34.
- Krehbiel, J.P., Brace, L.G. & Theis, R.F. (1981). The DE Langmuir probe instrument. In : Dynamics Explorer (ed. by R.A. Hoffman), Reidel Publ. Co., 493-502.
- Krinberg, I.A. & Tashchilin, A.V. (1980). The influence of the ionosphere-plasmasphere coupling upon the latitude variations of ionospheric parameters. *Annales de G,ophysique*, 36, 537-48.
- Krinberg, I.A. & Tashchilin, A.V. (1982). Refiling of geomagnetic force tubes with a thermal plasma after magnetic disturbance. *Annales de G,ophysique*, 38, 25-32.
- Krinberg, I.A. & Tashchilin, A.V. (1984). The ionosphere and the plasmasphere, Nauka, Moscow (in Russian).
- Kurita, K. & Hayakawa, M. (1985). Evaluation of the effectiveness of theoretical model calculation in determining the plasmapause structure. *Journal of Geophysics*, 7, 130-5.

Kurt, V.G. & Moroz, V.I. (1961). The potential of a metal sphere interplanetary in space. *Iskusstvennye Sputniki Zemli*, 7, 77-88.

Kurth, W.S. & Gurnett, D.A. (1991). Plasma waves in planetary magnetospheres. *Journal of Geophysical Research*, 96, 18977-91.

Kurth, W.S., Gurnett, D. A. & Anderson, R.R. (1981). Escaping nonthermal continuum radiation. *Journal of Geophysical Research*, 86, 5519-31.

Laaspere, T., Morgan, M.G. & Johnson, W.C. (1963). Some results of five years of whistler observation from Labrador to Antarctica. *Proceedings of the Institute of Electrical and Electronic Engineers*, 51, 554-68.

LaBelle, J., Treumann, R.A., Baumjohann, W., Haerendel, G., Sckopke, N., Paschmann, G. & Luhr, H. (1988). The duskside plasmapause/ring current interface: convection and plasma wave observations. *Journal of Geophysical Research*, 93, 2573-90.

Lakhina, G.S., Mond, M. & Hameiri, E. (1990). Ballooning mode instability at the plasmapause. *Journal of Geophysical Research*, 95, 4007-16.

Lanzerotti, L.J. & Fukunishi, H. (1975). Relationships of the characteristics of magnetohydrodynamic waves to plasma density gradients in the vicinity of the plasmapause. *Journal of Geophysical Research*, 80, 4627-34.

Lanzerotti, L.J., Mellen, D.B. & Fukunishi, H. (1975). Excitation of plasma density gradients in the magnetosphere at ultralow frequencies. *Journal of Geophysical Research*, 80, 3131-40.

Lanzerotti, L.J. & Southwood, D.J. (1979). Hydromagnetic waves. In *Solar System Plasma Physics*, Volume III, ed. L.J. Lanzerotti, C. F. Kennel, and E. N. Parker, pp. 109-135, North Holland Publishing Co.

Lie-Svendsen, Ø. & Rees, M.H. (1996). An improved kinetic model for the polar outflow of minor ion, accept for publication in *Journal of Geophysical Research*.

Lemaire, J. (1972). O+, H+ and He+ ion distributions in a new polar wind model. *Journal of Atmospheric and Terrestrial Physics*, 34, 1647-58.

Lemaire, J. (1974). The 'Roche-limit' of ionospheric plasma and the formation of the plasmapause. *Planetary and Space Science*, 22, 757-66.

Lemaire, J. (1975). The mechanisms of formation of the plasmapause. *Annales de Gophysique*, 31, 175-89.

Lemaire, J. (1976a). Rotating ion-exospheres. *Planetary and Space Science*, 24, 975-85.

Lemaire, J.F. (1976b). Steady state plasmapause positions deduced from Lemaire, J. (1978). Kinetic versus hydrodynamic solar wind models, in "Pleins feux sur la physique solaire", Editions, CNRS, Paris, 341-58.

Lemaire, J. (1985). Frontiers of the Plasmasphere (Theoretical Aspects). Universit, Catholique de Louvain, Facult, des Sciences, Cabay, Louvain-La-Neuve.

Lemaire, J. (1985). Frontiers of the plasmasphere, ThŠse d'agregation de l'enseignement sup,rieur, Editions Cabay, Louvain-la-Neuve, ISBN 2-87077-310-2; *Aeronomica Acta A* 298.

Lemaire, J. (1986). Plasma transport in the plasmasphere. *Advances in Space Research*, 6(3), 157-75.

Lemaire, J. (1987). The plasmapause formation, in *Proceedings of STP Symposium*, Toulouse, Eds., Hultqvist, B., Rees D. and von Zahn, U.. *Physica Scripta*, T18, 111-8.

Lemaire, J. (1989). Plasma distribution models in a rotating magnetic dipole and refilling plasmaspheric flux tubes. *Physics of Fluids*, 32, 1519-27.

- Lemaire, J.F. (1996). Ripping off the plasmasphere near midnight (in preparation).
- Lemaire, J., Barakat, A., Lesceux, J.M. & Shizgal, B. (1991). A method for solving Poisson's equation in geophysical and astrophysical plasmas, *Aeronomica Acta A* 357, 1990; in *Rarefied Gas Dynamics*, Ed A.E. Beylich, VCH Verlagsgesellschaft mbH, pp. 417-24.
- Lemaire, J. & Burlaga, L.F. (1976). Diamagnetic boundary layers: A kinetic theory. *Astrophysics and Space Sciences*, 45, 303-25.
- Lemaire, J. & Kowalkowski, L. (1981). The role of plasma interchange motion for the formation of a plasmapause. *Planetary and Space Science*, 29, 469-78.
- Lemaire, J. & Pierrard, V. (1994). The effect, the velocity filtration on plasmaspheric temperatures (in preparation).
- Lemaire, J. & Roth, M. (1991). Non steady-state solar wind - magnetosphere interaction. *Space Science Reviews*, 57, 59-108.
- Lemaire, J., Roth, M. & De Sorgher, L. (1996). An EMF voltage generator for subauroral ion drift westward drifts (in preparation).
- Lemaire, J. & Scherer, M. (1969). Le champ électrique de polarisation dans l'exosphère ionique polaire. *Comptes Rendus de Académie des Sciences, Paris*, 269B, 666-9.
- Lemaire, J. & Scherer, M. (1970). Models of the polar ion-exosphere. *Planetary and Space Science*, 18, 103-20.
- Lemaire, J. & Scherer, M. (1973). Kinetic models of the solar and polar winds. *Reviews of Geophysics and Space Physics*, 11, 427-68.
- Lemaire J. & Scherer, M. (1974). Exospheric models of the topside ionosphere. *Space Science Reviews*, 11, 591-640.
- Lemaire, J. & Scherer, M. (1978). Field aligned distribution of plasma mantle and ionospheric plasmas. *Journal of Atmospheric and Terrestrial Physics*, 40, 337-42.
- Lemaire, J. & Scherer, M. (1983). Field-aligned current density versus electric potential characteristics for magnetospheric flux tubes. *Annales Geophysicae*, 1, 91-5.
- Lemaire, J. & Schunk, R.W. (1992). Plasmaspheric wind. *Journal of Atmospheric and Terrestrial Physics*, 54, 467-77.
- Lemaire, J. & Schunk, R.W. (1994). Plasmaspheric convection with non-closed streamlines. *Journal of Atmospheric and Terrestrial Physics*, 56, 1629-33.
- Lennartson, W. & Reasoner, D.C. (1978). Low-energy plasma observations at synchronous orbit. *Journal of Geophysical Research*, 83, 2145-56.
- Lester, M. & Smith, A.J. (1980). Whistler duct structure and formation. *Planetary and Space Science*, 28, 645-54.
- Li, W., Sojka, J.J. & Raitt, W.J. (1983). A study of plasmaspheric density distributions for diffusive equilibrium conditions. *Planetary and Space Science*, 31, 1315-27.
- Lin, J., Horwitz, J.L., Wilson, G.R., Ho, C.W. & Brown, D.G. (1992). A semikinetic model for early stage plasmasphere refilling : 2. Effects off wave-particle interactions. *Journal of Geophysical Research*, 97, 1121-34.
- Lin, J., Horwitz, J.L., Wilson, G.R. & Brown, D.G. (1994). Equatorial heating and hemispheric decoupling effects on inner magnetospheric core plasma evolution. *Journal of Geophysical Research*, 99, 5727-44.

- Lockwood, M., Waite, J.H. Jr., Moore, T.E., Johnson, J.F.E. & Chappell, C.R. (1985). A new source of suprathermal O+ ions near the dayside polar cap boundary. *Journal of Geophysical Research*, 90, 4099-116.
- Longmire, C.L. (1963). Elementary plasma physics. Interscience, New York, 296 pp..
- Lyons, L.R. & Williams, D.J. (1984). Quantitative aspects of magnetospheric physics, D. Reidel, Publ. Co., Dordrecht : the Netherlands, 231 pp.
- Maeda, H. (1964). Electric fields in the magnetosphere associated with daily geomagnetic variations and their effects on trapped particles. *Journal of Atmospheric and Terrestrial Physics*, 26, 1133-8.
- Mange, P. (1960). The distribution of minor ions in electrostatic equilibrium in the high atmosphere. *Journal of Geophysical Research*, 65, 3833-4.
- Marklund, G.T., Blomberg, L.G., Hardy, D.A. & Rich, F.J. (1987a). Instantaneous pictures of the high-latitude electrodynamics using Viking and DMSP/F7 observations, Proc. 8th ESA Symp., Sunne, Sweden, May 1987, ESA SP-270, 45.
- Marklund, G.T., Blomberg, L.G., Potemra, T.A., Murphree, J.S., Rich, F.J. & Stasiewicz, K. (1987b). A new method to derive "instantaneous" high-latitude potential distributions from satellite measurements including auroral imager data. *Geophysical Research Letters*, 14, 439-42.
- Marklund, G.T., Blomberg, L.G., Stasiewicz, K., Murphree, J.S., Pottelette, R., Potemra, T.A., Hardy, D.A. & Rich, F.J. (1988). Snapshots of high-latitude electrodynamics using Viking and DMSP/F7 observations, Report TRITA-EPP-88-01, The Royal Inst. of Technol., Stockholm, Sweden.
- Marubashi, K. (1970). Escape of the polar-ionospheric plasma into the magnetospheric tail. *Rep. Ionosph. Space Research, Japan*, 24, 322-46.
- Mauk, B.H. & Co-I's (1995). The magnetospheric imaging mission: a proposal to NASA.
- Mauk, B.H. & McIlwain, C.E. (1974). Correlation of Kp with substorm-injected plasma boundary. *Journal of Geophysical Research*, 79, 3193-6.
- Mauk, B.H. & Meng, C.-I. (1983). Characterization of geostationary particle signatures based on the "injection boundary" model. *Journal of Geophysical Research*, 88, 3055-71.
- Maynard, N.C., Aggson, T.L. & Heppner, J.P. (1980). Magnetospheric observation of large subauroral electric fields. *Geophysical Research Letters*, 7, 881-4.
- Maynard, N.C. Aggson, T.L. & Heppner, J.R. (1983). The plasmaspheric electric field as measured by ISEE-1. *Journal of Geophysical Research*, 88, 3991-4003.
- Maynard, N.C. & Chen, A.J. (1975). Isolated cold plasma regions : Observations and their relation to possible production mechanisms. *Journal of Geophysical Research*, 80, 1009-13.
- Maynard, N.C. & Grebowsky, J.M. (1977). The plasmapause revisited. *Journal of Geophysical Research*, 82, 1591-600.
- Maynard, N.C., Heppner, J.P. & Egeland, A. (1982). Intense, variable electric fields at ionospheric altitudes in the high latitude regions as observed by DE-2, *Geophysical Research Letters*, 9, 981-4.
- McComas, D.J., Bame, S.J., Barraclough, B.L., Donart, J.R., Elphie, R.C., Gosling, J.T., Moldwin, M.B., Moore, K.R. and Thomsen, M.F. (1993). Magnetospheric plasma analyser: initial three-spacecraft observations from geosynchronous orbit. *Journal of Geophysical Research*, 98, 13453-65.
- McIlwain, C.E. (1972). Plasma convection in the vicinity of the geosynchronous orbit, in "Earth Magnetospheric Processes", ed. B.M. McCormac, p. 268-279, D. Reidel Publ. Cy., Dordrecht, Holland.

- McIlwain, C.E. (1974). Substorm injection boundaries, in "Magnetospheric Physics" ed. B.M. McCormac, D. Reidel Publ. Co., Dordrecht-Holland, pp. 143-54.
- McIlwain, C.E. (1986). A K_p dependent equatorial electric field model. *Advances in Space Research*, 6(3), 187-97.
- McNeill, F.A. (1967). Frequency shifts on whistler mode signals from a stabilized VLF transmitter. *Radio Science*, 2, 589-94.
- Mead, G.D. & Fairfield, D.H. (1975). A quantitative magnetospheric model derived from spacecraft magnetometer data. *Journal of Geophysical Research*, 80, 523-34.
- Melrose, D.B. (1967). Rotational effects on the distribution of thermal plasma in the magnetosphere of Jupiter. *Planetary and Space Science*, 15, 381-93.
- Mielke, T.A. & Helliwell, R.A. (1992). An experiment on the threshold effect in the coherent wave instability. *Geophysical Research Letters*, 19, 2075-8.
- Miller, N.J. (1970). The main electron trough during the rising solar cycle. *Journal of Geophysical Research*, 75, 7175-81.
- Miller, N.J. (1974). The dayside mid-latitude plasma trough. *Journal of Geophysical Research*, 79, 3795-801.
- Miller, R.H. & Combi, M.R. (1994). A Coulomb collision algorithm for weighted particle simulations. *Geophysical Research Letters*, 21, 1735-8.
- Miller, R.H. & Khazanov, G.V. (1993). Self-consistent electrostatic potential due to trapped plasma in the magnetosphere. *Geophysical Research Letters*, 20, 1331-4.
- Miller, R.H., Rasmussen, C.E., Gombosi, T.I., Khazanov, G.V. & Winske, D. (1993). Kinetic simulation of plasma flows in the inner magnetosphere. *Journal of Geophysical Research*, 98, 19301-13.
- Mitchell, H.G. Jr., Ganguli, S.B. & Palmadesso, P.J. (1992). Diodelike response of high-latitude plasma in Magnetosphere-Ionosphere Coupling in the presence of field-aligned currents. *Journal of Geophysical Research*, 97, 12045-56.
- Mitchell, H.G. & Palmadesso, P.J. (1984). O⁺ acceleration due to resistive momentum transfer in the auroral field line plasma. *Journal Geophysical Research*, 89, 7573-6.
- Miyazaki, S. (1979). Ion transition height distribution obtained with the satellite Taiyo. *Journal Geomagnetism and Geoelectricity*, 31, Suppl., S113-S124.
- Moffet, R.J. & Hanson, W.B. (1973). Calculated distributions of hydrogen and helium ions in the low latitude ionosphere. *Journal Atmospheric and Terrestrial Physics*, 35, 207-22.
- Moldwin, M.B., Thomsen, M.F., Bame, S.J., McComas, D.J. & Moore K.R. (1994). An examination of the structure and dynamics of the outer plasmasphere using multiple geosynchronous satellites. *Journal of Geophysical Research*, 99, 11475-81.
- Moldwin, M.B., Thomsen, M.F., Bame, S.J., McComas, D.J. & Reeves, G.D. (1995). The fine-scale structure of the outer plasmasphere. *Journal of Geophysical Research*, 100, 8021-9, Correction: *Ibid.*, 100, 9649.
- Moore, T.E. (1991). Origins of magnetospheric plasma. *Reviews of Geophysics*, 29, Suppl., 1039-48.
- Moore, T.E., Gallagher, D.L., Horwitz, J.L. & Comfort, R.H. (1987). MHD wave breaking in the outer plasmasphere. *Geophysical Research Letters*, 14, 1007-10.
- Morfill, G.E. (1978). A review of selected topics in magnetospheric physics. *Reports Progress in Physics*, 41, 303-94.

Morgan, M.G. & Allcock, G. McK. (1956). Observations of whistling atmospherics at geomagnetically conjugate points. *Nature*, 177(4497), 30-1.

Morgan, M.G., Brown, P.E., Johnson, W.C. & Taylor, H.A., Jr. (1977). Light ion and electron troughs observed in the midlatitude topside ionosphere on two passes of OGO 6 compared to coincident equatorial electron density deduced from whistlers. *Journal of Geophysical Research*, 82, 2797-800.

Morgan, D.D. & Gurnett, D.A. (1991). The source location and beaming of terrestrial continuum radiation. *Journal of Geophysical Research*, 96, 9595-613.

Mosier, S.R., Kaiser, M.L. & Brown, L.W. (1973). Observations of noise bands associated with the upper hybrid resonance by the IMP 6 radio astronomy experiment. *Journal of Geophysical Research*, 78, 1673-80.

Mozer, F.S. & Serlin, R. (1969). Magnetospheric electric field measurements with balloons. *Journal of Geophysical Research*, 74, 4739-54.

Muldrew, D.B. (1965). F-layer ionization troughs deduced from Alouette data. *Journal of Geophysical Research*, 70, 2635-50.

Muldrew, D.B. (1967). Medium frequency conjugate echoes observed in topside-sounder data. *Canadian Journal of Physics*, 45, 3935-44.

Muldrew, D.B. & Hagg, E.L. (1969). Properties of high-latitude ionospheric ducts deduced from Alouette II two-hop echoes. *Proceedings of the Institute of Electrical and Electronic Engineers*, 57 (6), 1128-34.

M•ller, R.H. & Combi, M.R. (1994). A Coulomb collision algorithm for weighted particle simulations. *Geophysical Research Letters*, 21, 1735-8.

M•ller, R.H. & Khazanov, G.V. (1993). A self-consistent electrostatic potential due to trapped plasma in the magnetosphere. *Geophysical Research Letters*, 20, 1331-4.

Muzzio J.L.R. & Angerami, J.J. (1972). OGO-4 observations of extremely low frequency hiss. *Journal of Geophysical Research*, 77, 1157-73.

Nagai, T., Horwitz, J.L., Anderson, R.R. & Chappell, C.R. (1985). Structure of the plasmapause from ISEE 1 low energy ion and plasma wave observations. *Journal of Geophysical Research*, 90, 6622-6.

Nagai, T., Johnson, J.F.E. & Chappell, C.R. (1983). Low-energy (< 100 eV) ion pitch angle distributions in the magnetosphere by ISEE 1. *Journal of Geophysical Research*, 88, 6944-60.

Nakada, M.P., Dungey, J.W. & Hess, W.N. (1965). On the origin of outer-belt protons. *Journal of Geophysical Research*, 70, 3529-32.

Newberry, I.T., Comfort, R.H., Richards, P.G. & Chappell, C.R. (1989). Thermal He⁺ in the plasmasphere : comparison of observations with numerical calculations. *Journal of Geophysical Research*, 94, 15265-76.

Newcomb, W.A. (1961). Convective instability induced by gravity in a plasma with a frozen-in magnetic field. *Physics of Fluids*, 4, 391-6.

Newell, P.T. & Meng, C.I. (1993). Reply to comment by M. Lockwood and M.F. Smith on our paper entitled, "Mapping the dayside ionosphere to the magnetosphere according to particle precipitation characteristics. *Geophysical Research Letters*, 20, 1741-2.

Nishida, A. (1966). Formation of plasmapause, or magnetospheric plasma knee, by the combined action of magnetospheric convection and plasma escape from the tail. *Journal of Geophysical Research*, 71, 5669-79.

- Norris, A.J., Johnson, J.F.E., Sojka, J.J. & Wrenn, G.L., Cornilleau-Wehrlin, N., Perraut, S. and Roux, A. (1983). Experimental evidence for the acceleration of thermal electrons by ion cyclotron waves in the magnetosphere. *Journal of Geophysical Research*, 88, 889-98.
- Northrop, T.G., & Teller, E. (1960). Stability of the adiabatic motion of charged particles in the Earth's field. *Physical Review*, 117, 215-25.
- Odera, T.J. (1986). Solar wind controlled pulsations: a review. *Reviews of Geophysics*, 24, 55-74.
- Oguti, T., Meek, J.H. & Hayashi, K (1984). Multiple correlation between auroral and magnetic pulsations. *Journal of Geophysical Research*, 89, 2295-303.
- Okada, T., H. Hayakawa, K. Tsuruda, A. Nishida & A. Matsuoka (1993). EXOS-D observations of enhanced electric fields during the giant magnetic storm in March 1989. *Journal of Geophysical Research*, 98, 15417-24.
- Oliver, W.L., Holt, J.M., Wand, R.H. and Evans, J.V. (1983). Millstone Hill incoherent scatter observations of auroral convection over $60^3 < K < 75^3$, 3. Average patterns versus Kp. *Journal of Geophysical Research*, 88, 5505-16.
- Olsen, R.C. (1981). Equatorially trapped plasma populations. *Journal of Geophysical Research*, 86, 11235-45.
- Olsen, R.C. (1982). The hidden ion population of the magnetosphere. *Journal of Geophysical Research*, 87, 3481-8.
- Olsen, R.C. (1992). The density minimum at the Earth's magnetic equator. *Journal of Geophysical Research*, 97, 1135-50.
- Olsen, R.C., Scott, L.J. & Boardsen, S. (1994). Comparison between Lionville's theorem and observed latitudinal distribution of trapped ions in the plasmapause region. *Journal of Geophysical Research*, 99, 2191-9.
- Olsen, R.C., Shawhan, S.D., Gallager, D.L., Green, J.L., Chappell, C.R. & Anderson, R.R. (1987). Plasma observations at the magnetic equator. *Journal of Geophysical Research*, 92, 2385-407.
- Olson, W.P. & Pfitzer, K.A. (1974). A quantitative model of the magnetospheric magnetic field. *Journal of Geophysical Research*, 79, 3739-48.
- Olson, W.P. & Pfitzer, K.A. (1977). Magnetospheric magnetic field modeling. Annual Scientific report, AFOSR contract No F 44620-75-C-0033, McDonnell Douglas Astronautics Company, Huntington Beach, CA.
- Ondoh, T., Nakamura, Y., Watanabe, S. & Aikyo, K. (1989). Impulsive plasma waves observed by the DE 1 in nightside magnetosphere. *Journal of Geophysical Research*, 94, 3779-84.
- Ossakow, S.L. & Chaturvedi, P.K. (1978). Morphological studies of rising equatorial spread F bubbles. *Journal of Geophysical Research*, 83, 2085-90.
- Ott, E. (1978). Theory of Rayleigh-Taylor bubbles in the equatorial ionosphere. *Journal of Geophysical Research*, 83, 2066-70.
- Oya, H. (1991). Studies on plasma and plasma waves in the plasmasphere and auroral particle acceleration region, by PWS on board the EXOS-D (Akebono) satellite. *Journal of Geomagnetism and Geoelectricity* 43, 369-93.
- Oya, H., Iizima, M. & Morioka, A. (1991). Plasma turbulence disc circulating the equatorial region of the plasmasphere identified by the plasma wave detector (PWS) onboard the Akebono (EXOS-D) satellite. *Geophysical Research Letters*, 18, 329-32.
- Oya, H. & Ono, T (1987). Stimulation of plasma waves in the magnetosphere using satellite JIKIKEN (EXOS-B) Part II: Plasma density across the plasmapause. *Journal of Geomagnetism and Geoelectricity*, 39, 591-607.

Paetzold, H.K. (1962). Corpuscular heating of the upper atmosphere. *Journal of Geophysical Research*, 67, 2741-4.

Palmadesso, P.J., Ganguli, S.B. & Mitchell, H.G. Jr. (1988). Multifluid simulations of transport processes in the auroral zones in Magnetosphere and ionosphere plasma models, *Geophys. Monograph Series*, eds. T.E. Moore & J.H. Waite, Jr., p.133-43, AGU, Washington D.C.

Pannekoek, A. (1992). Ionization in stellar atmospheres. *Bulletin Astronomical Institute Mathematics*, 1, 107-18.

Park, C.G. (1956). Methods of determining electron concentrations in the magnetosphere from whistlers. Technical report, 3454-1, Stanford Univ., Stanford, Calif., 1972. Spitzer, L., Jr., Physics of fully ionized gases. Interscience Publ. Co., New York, pp. 105.

Park, C.G. (1970). Whistler observations of the interchange of ionization between the ionosphere and the protonosphere. *Journal of Geophysical Research*, 75, 4249-60.

Park, C.G. (1971). Westward electric fields as the cause of nighttime enhancements in electron concentrations in the midlatitude F region. *Journal of Geophysical Research*, 76, 4560-8.

Park, C.G. (1972). Methods of Determining Electron Concentration in the Magnetosphere from Nose Whistlers. Radio Science Laboratory, Technical Report 3454-1, Stanford, California: Stanford University.

Park, C.G. (1973). Whistler observations of the depletion of the plasmasphere during a magnetospheric substorm. *Journal of Geophysical Research*, 78, 672-83.

Park, C.G. (1974a). Some features of plasma distribution in the plasmasphere deduced from Antarctic whistlers. *Journal of Geophysical Research*, 79, 169-73.

Park, C.G. (1974b). A morphological study of substorm-associated disturbances in the ionosphere. *Journal of Geophysical Research*, 79, 2821-7.

Park, C.G. (1978). Whistler observations of substorm electric fields in the nightside plasmasphere. *Journal of Geophysical Research*, 83, 5773-7.

Park, C.G. & Banks, P.M. (1974). Influence of thermal plasma flow on the mid-latitude nighttime F2 layer: Effects of electric fields and neutral winds inside the plasmasphere. *Journal of Geophysical Research*, 79, 4661-8.

Park, C.G., Carpenter, D.L. & Wiggin, D.B. (1978). Electron density in the plasmasphere : whistler data on solar cycle, annual, and diurnal variations. *Journal of Geophysical Research*, 83, 3137-44.

Park, C.G. & Carpenter, D.L. (1970). Whistler evidence of large-scale electron-density irregularities in the plasmasphere. *Journal of Geophysical Research*, 75, 3825-35.

Park, C.G. & Carpenter, D.L. (1978). Very low frequency radio waves in the magnetosphere. In Upper Atmosphere Research in Antarctica, ed. L.J. Lanzerotti and C.G. Park, pp. 72-99, Washington D.C.: American Geophysical Union.

Park C.G., Carpenter, D.L. & Wiggin, D.B. (1978). Electron density in the plasmasphere: whistler data on the solar cycle, annual, and diurnal variations. *Journal of Geophysical Research*, 83, 3137-44.

Park, C.G. & Helliwell, R.A. (1971). The formation by electric fields of field-aligned irregularities in the magnetosphere. *Radio Science*, 6, 299-304.

Park, C.G. & Meng, C.I. (1971). Vertical motions of the midlatitude F2 layer during magnetospheric substorms. *Journal of Geophysical Research*, 76, 8326-32.

Park, C.G. & Meng, C.I. (1973). Distortions of the nightside ionosphere during magnetospheric substorms. *Journal of Geophysical Research*, 78, 3828-40.

- Parker, E.N. (1958). Dynamics of the interplanetary gas and magnetic field. *Astrophysical Journal*, 128, 664-76.
- Parker, E.N. (1959). Interaction of the solar wind with geomagnetic field. *Physics of Fluids*, 1, 171.
- Paschal, E.W. (1988). Phase Measurements of Very Low Frequency Signals from the Magnetosphere, Ph. D. thesis, Stanford, California: Stanford University.
- Paschal, E.W. & Helliwell, R.A. (1983). Phase measurements of whistler mode signals from the Siple VLF transmitter. *Journal of Geophysical Research*, 89, 1667-74.
- Pedersen, A., Cattell, C.A., Fälthammar, C.-G., Knott, K., Lindqvist, P.-A., Manka, R.H. & Mozer, F.S. (1985). Electric fields in the plasma sheet and plasma sheet boundary layer. *Journal of Geophysical Research*, 90, 1231-42.
- Persson, H. (1966). Electric field parallel to the magnetic field in a low density plasma. *Physics of Fluids*, 9, 1090-8.
- Peterson, W.K., Collin, H.L., Doherty, M.F. & Bjorklund, C.M. (1992). O⁺ and He⁺ restricted and extended (bi-modal) ion conic distributions. *Geophysical Research Letters*, 19, 1439-42.
- Peymirat, C. & Fontaine D. (1994). Numerical simulation of magnetospheric convection including the effect of field-aligned currents and electron precipitation. *Journal of Geophysical Research*, 99, 11,155-76.
- Pfizer, K.A., Olson, W.P. & Mogstad, T. (1988). A time dependent, source driven magnetospheric magnetic field model. *EOS*, 69, 426.
- Piddington, J.H. (1964). Recurrent geomagnetic storms, solar M-regions, and the solar wind. *Planetary and Space Science*, 12, 113-8.
- Pierrard, V. (1994). New model of magnetospheric current-voltage relationship, accepted for publication in *Journal of Geophysical Research*.
- Pierrard, V. & Lemaire, J.F. (1996). New exospheric models based on Lorentzian velocity distributions (accepted in *Journal of Geophysical Research*).
- Piggott, W.R., Lawden, M.D., Smith, R.W., Kendall, M.L. & Colbourne, M.B. (1970). The use of satellite data for prediction purposes. In *Proceedings of the AGARD EPC Symposium on Ionospheric Forecasting*, Ottawa, 3-6 September 1969. pp 70.
- Poletti-Liuzzi, D.A., Yeh, K.C. & Liu, C.H. (1977). Radio beacon studies of the plasmasphere. *Journal of Geophysical Research*, 82, 1106-14.
- Potemra, T.A., Luhr, H., Zanetti, L.J., Takahashi, K., Erlandson, R.E., Marklund, G.T., Block, L.P., Blomberg, L.G. & Lepping, R.P. (1989). Multisatellite and ground-based observations of transient ULF waves. *Journal of Geophysical Research*, 94, 2543-54.
- Potemra, T.A. & Rosenberg, T.J. (1973). VLF propagation disturbances and electron precipitation at mid-latitudes. *Journal of Geophysical Research*, 78, 1572-80.
- Quegan S., (1989). The influence of convection on the structure of the high-latitude ionosphere. *Philosophical Transactions of the Royal Society (London)*, A, 328, 119-37.
- Quegan, S., Bailey, G.J., Moffett, R.J., Heelis, R.A., Fuller-Rowell, T.J., Rees, D. & Spiro, R.W. (1982). A Theoretical study of the distribution of ionization in the high - latitude ionosphere and the plasmasphere: first results on the mid-latitude trough and the light ion trough. *Journal of Atmospheric and Terrestrial Physics*, 44, 619-40.
- Raitt, W.J. (1974). The temporal and spatial development of mid-latitude thermospheric electron temperature enhancements during a geomagnetic storm. *Journal of Geophysical Research*, 79, 4703-8.

- Raitt, W.J. & Dorling, E.B. (1976). The global morphology of light ions measured by the ESRO-4 satellite. *Journal of Atmospheric and Terrestrial Physics*, 38, 1077-83.
- Raitt, W.J. & Schunk, R.W. (1983). Composition and characteristics of the polar wind , in "Energetic Ion Composition", edity by R. Johnson, Terra Scientific Publishing Company, Tokyo, 99-141.
- Raitt, W.J., Schunk, R.W. & Banks, P.M. (1978). Quantitative calculations of helium ion escape fluxes from the polar ionospheres. *Journal of Geophysical Research*, 83, 5617-23.
- Rasmussen, C.E. (1992). The plasmasphere, *Physics of Space Plasmas* (1992), eds.: Chang, T. and J.R. Jasperse, Scientific Publishers, Inc., Cambridge, Massashussetts, 279-302.
- Rasmussen, C.E., Guiter, S.M. & Thomas, S.G. (1993). A two-dimensionl model of the plasmasphere: refilling time constants. *Planetary and Space Science*, 41, 35-43.
- Rasmussen, C.E. & Schunk, R.W. (1988). Multistream hydrodynamic modeling of interhemispheric plasma flow. *Journal of Geophysical Research*, 93, 14557-65.
- Rasmussen, C.E. & Schunk, R.W. (1990). A three-dimensional time-dependent model of the plasmasphere. *Journal of Geophysical Research*, 95, 6133-44 and 6125.
- Rastani, K., Inan, U.S. & Helliwell, R.A. (1985). DE-1 observations of Siple transmitter signals and associated sidebands. *Journal of Geophysical Research*, 90, 4128-40.
- Ratcliffe, J.A. (1960). *Physics of the Upper Atmosphere*. London: Academic Press.
- Ratcliffe, J.A. (1972). *An Introduction to the ionosphere and magnetosphere*, Cambridge University Press, pp. 206.
- Rawer, K. (1993). Wave propagation in the ionosphere, Kluwer Academic Publishers, Dordrecht, pp. 486.
- Rawer, K., Bilitza, D. & Ramakrishnan, S. (1978). Goals and status of the international reference ionosphere. *Reviews of Geophysics and Space Physics*, 16, 177-81.
- Reiff, P.H., Green, J.L., Benson, R.F., Carpenter, D.L., Calvert, W., Fung, F., Gallagher, D.L. Reinish, B.W., Smith, M.G. & Taylor, W.W.L. (1993). Radio imaging of the magnetosphere, (personal communication D.L. Carpenter, 1993).
- Remizov, A.P., Gringauz, K.I.& Bassolo, V.S. (1990). Specific tasks of Regatta-E measurements correlated with cluster/Regatta A in the ISTP and Regatta programmes, Proc. Int. Workshop on Space Plasma Phys. by Cluster and Regatta, ESA SP-306, 137-40.
- Retterer, J.M., Chang, T., Crew, G.B., Jasperse, J.R. & Winningham, J.D. (1987). Monte Carlo modeling of oxygen ion conic acceleration by cyclotron resonance, *Physical Review Letters*, 59, 148-51.
- Rich, F.J., Burke, W.J., Kelley, M.C. & Smiddy, M. (1980). Observations of field-aligned currents in association with strong convection electric fields at subauroral latitudes. *Journal of Geophysical Research*, 85, 2335-40.
- Richards, P.G., Schunk, R.W. & Sojka, J.J. (1983). Large-scale counterstreaming of H+ and He+ along plasmaspheric flux tubes. *Journal of Geophysical Research*, 88, 7879-86.
- Richards, P.G. & Torr, D.G. (1985). Seasonal, diurnal and solar cyclical variations of the limiting H+ flux in the Earth's topside ionosphere. *Journal of Geophysical Research*, 90, 5261-8.
- Richards, P.G. & Torr, D.G. (1988). Hydrodynamic models of plasmasphere. In : "Modelling of magnetospheric plasma", *Geophys. Meteor. Seq.*, V. 44, ed. by T.E. Moore and J.H. Waite, AGU, Washington, DC.

- Richards, P.G., Torr, D.G., Reinisch, B.E., Gamache, R.R. & Wilkinson, P.J. (1994). F2 peak electron density at Millstone Hill and Hobart: comparison of theory and measurement at solar maximum. *Journal of Geophysical Research*, 99, 15,005-16.
- Richmond, A.D. (1973). Self-induced motions of thermal plasma in the magnetosphere and the stability of the plasmapause. *Radio Science*, 8, 1019-27.
- Richmond, A.D. (1976). Electric field in the ionosphere and plasmasphere on quiet days. *Journal of Geophysical Research*, 81, 1447-50.
- Richmond, A.D. & Kamide, Y. (1988). Mapping elecrodynamic features of the high-latitude ionosphere from localized observations : Technique. *Journal of Geophysical Research*, 93, 5741-59.
- Richmond, A.D., Kamide, Y., Akasofu, S.-I., Alcayd,, D., Blanc, M., De la BeaujardiŠre, O., Evans, D.S., Foster, J.C., Friis-Christensen, E., Holt, J.M., Pellinen, R.J., Senior, C. & Zaytsev, A.N. (1990). Global measures of ionospheric electrodynamic activity inferred from combined incoherent scatter radar and ground magnetometer observations. *Journal of Geophysical Research*, 95, 1061-71.
- Rishbeth, H. & Garriott, O.K. (1969). *Introduction to ionospheric physics*, Academic Press, New York, pp. 331.
- Roberts, W.T., Jr., Horwitz, J.L., Comfort, R.H., Chappell, C.R., Waite, J.H.Jr. & Green, J.L. (1987). Heavy ion density enhancements in the outer plasmasphere. *Journal of Geophysical Research*, 92, 13499-512.
- Rodger, A.S., Moffett, R.J. & Quegan, S. (1992). The role of ion drift in the formation of ionisation troughs in the mid- and high-latitude ionosphere - A review. *Journal of Atmospheric and Terrestrial Physics*, 54, 1-30.
- Roble, R.G., Ridley, E.C., Richmond, A.D. & Dickinson, R.E. (1988). A coupled thermosphere/ionosphere general circulation model. *Geophysical Research Letters*, 15, 1325-8.
- Rodger, A.S. & Pinnock, M. (1982). Movements of the mid-latitude ionospheric trough. *Journal of Atmospheric and Terrestrial Physics*, 44, 985-92.
- Rosenberg, T.J., Helliwell, R.A. & Katsufrakis, J.P. (1971). Electron precipitation associated with discrete very-low-frequency emissions. *Journal of Geophysical Research*, 76, 8445-52.
- Rosenberg, T.J., Siren, J.C., Matthews, D.L., Marthinsen, K., Holtet, J.A., Egeland, A., Carpenter, D.L. & Helliwell, R.A. (1981). Conjugacy of electron microbursts and VLF chorus. *Journal of Geophysical Research*, 86, 5819-32.
- Rosseland, S. (1924). Electrical state of a star. *Monthly Notices Royal Astronomical Society*, 84, 720-8.
- Roth, M. (1976). The plasmapause as a plasma sheath: a minimum thickness. *Journal of Atmospheric and Terrestrial Physics*, 38, 1065-70.
- Russell, C.T., Holzer, R.E. & Smith, E.J. (1969). OGO 3 observations of ELF noise in the magnetosphere. 1. Spatial extent and frequency of occurrence. *Journal of Geophysical Research*, 74, 755-77.
- Russell, C.T., Holzer, R.E. & Smith, E.J. (1970). OGO 3 observations of ELF noise in the magnetosphere. 2. The nature of the equatorial noise. *Journal of Geophysical Research*, 75, 755-68.
- Russell, C.T., McPherron, R.L. & Coleman, P.J. (1972). Fluctuating magnetic fields in the magnetosphere. 1. ELF and VLF fluctuations. *Space Science Reviews*, 12, 810-56.
- Rycroft, M.J. (1973). Enhanced energetic electron intensities at 100 km altitude and a whistler propagating through the plasmasphere. *Planetary and Space Science*, 21, 239-51.

- Rycroft, M.J. (1974a). Magnetospheric plasma flow and electric fields derived from Whistler Observations. In "Correlated Interplanetary and Magnetospheric Observations", ed. D.E. Page, Dordrecht-Holland, 317-35.
- Rycroft M.J. (1974b). Whistlers and discrete ELF/VLF emissions. In ELF-VLF Radio Wave Propagation, ed. J.A. Holtet, pp. 317-34. Dordrecht, Holland: D. Reidel.
- Rycroft, M.J. (1975). A review of in situ observations of the Plasmapause. *Annales de Géophysique*, 31, 1-16.
- Rycroft, M.J. (1987). Some aspect of geomagnetically conjugate phenomena. *Annales Geophysicae*, 5A, 463-77.
- Rycroft, M.J. & Alexander, P.D. (1969). Model of hydrogen and helium ion concentrations in the plasmasphere, paper A.3.11, COSPAR Meeting, Prague, Czechoslovakia.
- Rycoft, M.J. & Burnell, S.J. (1970). Statistical analysis of movements of the ionospheric trough and plasmapause. *Journal of Geophysical Research*, 75, 5600-4.
- Rycroft, M.J. & Jones, I.R. (1985). Modelling the plasmasphere for the International Reference Ionosphere. *Advances in Space Research*, 5(10), 21-7.
- Rycroft, M.J. & Jones, I.R. (1987). A suggested model for the IRI plasmaspheric distribution. *Advances in Space Research*, 7(6), 13-22.
- Rycroft, M.J. & Thomas, J.O. (1970). The magnetospheric plasmapause and the electron density trough at the ALOUETTE I orbit. *Planetary and Space Science*, 18, 65-80.
- Sagalyn, R.C. & Smiddy, M. (1964). Electrical processes in the nighttime exosphere. *Journal of Geophysical Research*, 69, 1809-23.
- Sagawa, E., Marubashi, K., Iwamoto, I., Watanabe, S., Mori, H., Whalen, B.A. & Yau, A.W. (1968). A model for long-term response to the magnetospheric activity and related measurement plans by EXOS-D. *Advances Space Research*, 8(8), 35-44.
- Sagawa, E., Yau, A.W., Whalen, B.A. & Peterson, W.K. (1987). Pitch angle distributions of low-energy ions in the near-Earth magnetosphere. *Journal of Geophysical Research*, 92, 12241-54.
- Sagredo, J.L. & Bullough, K. (1973). VLF goniometer observations at Halley Bay, Antarctica, 2, magnetospheric structure deduced from whistler observations. *Planetary and Space Science*, 21, 913-23.
- Saito, T. & Matsushita, S. (1968). Solar cycle effects on geomagnetic Pi2 pulsations. *Journal of Geophysical Research*, 73, 267-86.
- Sanatani, S. & Hanson, W.B. (1970). Plasma temperatures in the magnetosphere. *Journal of Geophysical Research*, 75, 769-75.
- Sato, N. & Fukunishi, H. (1980). Interaction between ELF-VLF emissions and magnetic pulsations: classification of quasi-periodic ELF-VLF emissions based on frequency-time spectra. *Journal of Geophysical Research*, 86, 19-29.
- Sauvaud, J.-A., Crasnier, J. Gal'perin, Yu. I. & Feldstein, Ya. I. (1983). A statistical study of the dynamics of the equatorward boundary of the diffuse aurora in the pre-midnight sector. *Geophysical Research Letters*, 10, 749-52.
- Saxton J.M. & Smith, A.J. (1989). Quiet time plasmaspheric electric fields and plasmasphere-ionosphere coupling fluxes at L=2.5. *Planetary and Space Science*, 37, 283-93.
- Sazhin, S.S., Bullough, K. & Hayakawa, M. (1993). Auroral hiss: a review. *Planetary and Space Science*, 41, 153-66.

- Sazhin, S.S. & Hayakawa, M. (1992a). Magnetospheric chorus emissions: a review. *Planetary and Space Science*, 40, 681-97.
- Sazhin, S.S., Hayakawa, M. & Bullough, K. (1992). Whistler diagnostics of magnetospheric parameters : A review. *Annales Geophysicae*, 10, 293-308.
- Sazhin, S.S., Smith, A.J. & Sazhina, E.M. (1990). Can magnetospheric electron temperature be inferred from whistler dispersion measurements ? *Annales Geophysicae*, 8, 273-85.
- Scarf, F.L. & Chappell, C.R. (1973). An associaton of magnetospheric whistler dispersion characteristics with changes in local plasma density. *Journal of Geophysical Research*, 78, 1597-602.
- Schield, M.A. & Frank, L.A. (1970). Electron observations between the inner edge of the plasma sheet and the plasmasphere, *Journal of Geophyscial Research*, 75, 5401-14.
- Schieldge, J.P. (1974). Quiet-time Currents and Electric Fields Produced by the Ionospheric Dynamo. Ph.D. thesis. Los Angeles: University of California.
- Schmerling, E.R. & Langille, R.C. (1969). Introduction, 1969 special issue on topside sounding. *Proceedings of the Institute of Electrical and Electronic Engineers*, 57, 859-60.
- Schulz, M. & Koons, H.C. (1972). Thermalization of colliding ion streams beyond the plasmapause. *Journal of Geophysical Research*, 77, 248-54.
- Schunk, R.W. (1975). Transport equations for Aeronomy. *Planetary and Space Science*, 23, 437-85.
- Schunk, R.W. (1977). Mathematical structure of transport equations for multi-species flows. *Reviews of Geophysics and Space Physics*, 15, 429-45.
- Schunk, R.W. (1988a). A mathematical model of the middle and high latitude ionosphere. *Pure and Applied Geophysics*, 127, 255-303.
- Schunk, R.W. (1988b). The polar wind, in "Modelling Magnetospheric Plasma", edited by T.E. Moore and J.J. Waiter, Jr., 219-28, AGU, Washington, D.C.
- Schunk, R.W. & Nagy, A.F. (1980). Ionospheres of the terrestrial planets. *Reviews of Geophysics and Space Physics*, 18, 813-52.
- Schunk, R.W. & Sojka, J.J. (1989). A three-dimensional time-dependent model of the polar wind. *Journal of Geophysical Research*, 94, 8973-91.
- Schunk, R.W. & Watkins, D.S. (1979). Comparison of solutions to the thirteen-moment and standard transport eqations for low speed thermal proton flows. *Planetary Space Science*, 27, 433-44.
- Schunk, R.W. & Watkins, D.S. (1981). Electron temperature anisotropy in the polar wind. *Journal of Geophysical Research*, 86, 91-102.
- Scudder, J.D. (1992a). On the causes of temperature change in inhomogeneous low-density astrophysical plasmas. *Astrophysical Journal*, 398, 299-318.
- Scudder J.D. (1992b). Why all stars should possess circumstellar temperature invasions. *Astrophysical Journal*, 398, 319-49.
- Sellek, R., Bailey, G.J., Moffett, R.J., Heelis, R.A. & Anderson, P.C. (1991). Effects of large zonal plasma drifts on the subauroral ionosphere. *Journal of Atmospheric and Terrestrial Physics*, 53, 557-65.
- Senior, C. & Blanc, M. (1984). On the control of magnespheric convection by the spatial distribution of ionospheric conductivities. *Journal of Geophysical Research*, 89, 261-84.

- Senior, C., Fontaine, D., Caudal, G., Alcayd,, D. & Fontanari, J. (1989). Convection electric fields and electrostatic potential ove $61^3 < K < 72^3$ invariant latitude observed with the European incoherent scatter facility. 2. Statistical results. *Annales Geophysicae*, 8(4), 257-72.
- Senior, C., Sharber, J.R., de la Beaujardiere, O., Heelis, R.A., Evans, D.S. Winingham, J.D., Sugiura, M. & Hoegy, W.R. (1987). E- and F-region study of the evening sector auroral oval: A Chatanika/Dynamics Explorer 2/NOAA 6 comparison. *Journal of Geophysical Research*, 92, 2477-94.
- Serbu, G.P. & Maier, E.J.R. (1966). Low energy electrons measured on IMP 2. *Journal of Geophysical Research*. 71, 3755-66.
- Serbu, G.P. & Maier, E.J.R. (1967). Thermal plasma measurements within the magnetosphere. In *Space Research VII*, ed. R.L. Smith-Rose, S.A. Bowhill & J.W. King, vol. 1, pp. 527-34, Amsterdam: North-Holland Pub. Co.
- Serbu, G.P. & Maier, E.J.R. (1970). Observations from OGO 5 of the thermal ion density and temperature within the magnetosphere. *Journal of Geophysical Research*, 78, 6102-13.
- Sharma, R.P. & Muldrew, D.B. (1975). Seasonal and longitudinal variations in the occurence frequency of magnetospheric ionization ducts. *Journal of Geophysical Research*, 80, 977-84.
- Sharp, G.W. (1966). Mid-latitude trough in the night ionosphere. *Journal of Geophysical Research*, 71, 1345-56.
- Shaw, R.R. & Gurnett, D.A. (1975). Electrostatic noise bands associated with the electron gyrofrequency and plasma frequency in the outer magnetosphere. *Journal of Geophysical Research*, 80, 4259-71.
- Shawhan, S.D., Gurnett, D.A., Odem, D.L. et al. (1981). The plasma wave and quasi-static electric field instrument for DE-A (ibid), 535-54.
- Shelley, E.G., Sharp, R.D., Johnson, R.G. et al. (1978). Plasma composition experiment on ISEE-A. *IEEE Transactions Geoscience and Electronics*, CE-16, 266.
- Shelley, E.G., Simpson, D.A., Sanders, T.C., Hertzberg, E., Balsiger, H. and Shielmetti, A. (1981). The energetic ion composition spectrometer (EICS) for the Dynamics Explorer-A. *Space Science Instrumentation.*, 5, 443.
- Shizgal, B. (1987). Hot hydrogen and deuterium in the exosphere of Venus. *Advanced Space Research*, 7(12), 73-7.
- Shizgal, B. & Blackmore, R. (1984). A discrete ordinate method of solution of linear and boundary value problems. *Journal of Computational Physics*, 55, 313-27.
- Shizgal, B. & Lindenfeld, J.M. (1982). A simple kinetic theory calculation of terrestrial atomic hydrogen escape fluxes induced by charge exchange collisions. *Journal of Geophysical Research*, 87, 853-8.
- Shizgal, B., Weinert, U. & Lemaire, J. (1986). Collisional kinetic theory of the escape of light ions from the polar wind, in *Proceedings of the 15th International Symposium on rarefied gas dynamics*, Vol. II, edited by Boffi V. & Cercignani, C., Teubert, Stuttgart, pp. 374-83.
- Sibeck, D.G. & Croley, D.J.Jr. (1991). Solar wind dynamic pressure variations and possible ground signatures of flux transfer events. *Journal of Geophysical Research*, 96, 1669-83.
- Singh, N. (1988). Refilling of a plasmaspheric flux tube : microscopie plasma processes, in *Modelling Plasma*, Geophys. Monogr. Ser., Vol. 44, ed. T.E. Moore and J.H. Waite, Jr., p. 87, AGU, Washington D.C.
- Singh, N. (1990). Comment on "Multistream hydrodynamic modeling of interhemispheric plasma flow" by C.E. Rasmussen & R.W. Schunk. *Journal of Geophysical Research*, 95, 17273-9.

- Singh, N. & Chan, C.B. (1992). Effects of equatorially trapped ions on refilling of the plasmasphere. *Journal of Geophysical Research*, 97, 1167-79.
- Singh, N. & Horwitz, J.L. (1992). Plasmaspheric refilling : recent observations and modelling. *Journal of Geophysical Research*, 97, 1049-79.
- Singh, N., Schunk, R.W. & Thiemann, H. (1986). Temporal features of the refilling of a plasmaspheric flux tube. *Journal of Geophysical Research*, 91, 13433-54.
- Singh, N. & Torr, D.G. (1990). Effects of ion temperature anisotropy on the interhemispheric plasma transport during plasmaspheric refilling. *Geophysical Research Letters*, 17, 925-8.
- Singh, N., Wilson, G.R. & Horwitz, J.L. (1994). Comparison of hydrodynamic and kinetic semi-kinetic treatments for a plasma flow along closed field lines. *Journal of Geophysical Research*, 99, 11495-506.
- Sivtseva, L.D., Filippov, V.M., Khalipov, V.L., Gal'perin, Yu.I., Ershova, V.A., Nikolayenko, L.M. Ponomarev, Yu.N. & Sinitsyn, V.M. (1984). Coordinated investigations of processes in the subauroral upper ionosphere and the light-ion concentration trough. *Kosmicheskie Issledovaniya*, 22, 720-41.
- Sivtseva, L.D., Filippov, V.M., Khalipov, V.L., Gal'perin, Yu.I., Ershova, V.A., Nikolaenko, L.M. Ponomarev, Yu.N. & Sinitsyn, V.M. (1983). Coordinated experiments to study midlatitude trough by ground-based geophysical observations and measurements from the AUREOL-1 and AUREOL-2 satellites. *Kosmicheskie Issledovaniya*, 21, 584-608.
- Smiddy, M., Kelley, M.C., Burke, W., Rich, F., Sagalyn, R., Shuman, B., Hays, R. & Lai, S. (1977). Intense poleward directed electric fields near the ionospheric projection of the plasmapause. *Geophysical Research Letters*, 4, 543-6.
- Smilauer, Y., Truhlik, V., Boskova, J., Triska, P. & Shul'tchishin, J. (1996). Observations of thermal O⁺⁺ ions in the outer ionosphere. *Advances Space Research*, 17, (10)135-40.
- Smith, A.J. & Carpenter, D.L. (1982). Echoing mixed-path whistlers near the dawn plasmapause, observed by direction-finding receivers at two Antarctic stations. *Journal of Atmospheric and Terrestrial Physics*, 44, 973-84.
- Smith, A.J., Carpenter, D.L. & Inan, U. S. (1985). Whistler-triggered VLF noise bursts observed on the DE-1 satellite and simultaneously at Antarctic ground stations. *Annales Geophysicae*, 3, 81-8.
- Smith, A.J., Carpenter, D.L. & Lester, M. (1981). Longitudinal variations of plasmapause radius and the propagation of VLF noise within small (DL ~ 0.5) extensions of the plasmasphere. *Geophysical Research Letters*, 8, 980-3.
- Smith, A.J., Rodger, A.S. & Thomas, D.W.P. (1987). Simultaneous ground-based observations of the plasmapause and the F-region mid-latitude trough. *Journal of Atmospheric and Terrestrial Physics*, 49, 43-7.
- Smith, R.L. (1960). The Use of Nose Whistlers in the Study of the Outer Ionosphere. Ph. D. thesis. Stanford, California: Stanford University.
- Smith, R.L. (1961a). Propagation characteristics of whistlers trapped in field-aligned columns of enhanced ionization. *Journal of Geophysical Research*, 66, 3699-707.
- Smith, R.L. (1961a). Properties of the outer ionosphere deduced from nose whistlers. *Journal of Geophysical Research*, 66, 3709-16.
- Smith, R.L. & Angerami, J.J. (1968). Magnetospheric properties deduced from OGO-1 observations of ducted and nonducted whistlers. *Journal of Geophysical Research*, 73, 1-20.
- Smith, R.L. & Carpenter, D.L. (1961). Extension of nose whistler analysis. *Journal of Geophysical Research*, 66, 2582-86.

- Smith, R.L. & Helliwell, R.A. (1960). Electron densities to 5 Earth radii deduced from nose whistlers. *Journal of Geophysical Research*, 65, 2583.
- Smith, R.L., & Angerami, J.J. (1968). Magnetospheric properties deduced from OGO 1 observations of ducted and non-ducted whistlers. *Journal of Geophysical Research*, 73, 1-20.
- Smith, R.L., Helliwell, R.A. & Yabroff, I.W. (1960). A theory of trapping of whistlers in field-aligned columns on enhanced ionization. *Journal of Geophysical Research*, 65, 815-23.
- Soicher, H. (1976). Response of electrons in ionosphere and plasmasphere to magnetic storms. *Nature*, 259, 33-5.
- Sojka, J.J. (1989). Global scale, physical models of the F-region ionosphere. *Reviews of Geophysics*, 27, 371-403.
- Sojka, J.J., Bowline, M., Schunk, R.W., Craven, J.D., Frank, L.A., Sharber, J.R., Winningham, J.D. & Brace, L.H. (1992). Ionospheric simulation compared with Dynamics Explorer observations for November 22, 1981. *Journal of Geophysical Research*, 97, 1245-56.
- Sojka, J.J., Schunk, R.W., Johnson, J.F.E., Waite, J.H. & Cahappell, C.R. (1983). Characteristics of thermal and suprathermal ions associated with the dayside plasma trough as measured by the Dynamics Explorer retarding ion mass spectrometer. *Journal of Geophysical Research*, 88, 7895-911.
- Sojka, J.J., Rasmussen, C.E. & Schunk, R.W. (1986). An interplanetary magnetic field dependent model of the ionospheric convection electric field. *Journal of Geophysical Research*, 91, 11281-90.
- Sojka, J.J. & Wrenn, G.L. (1985). Refilling of geosynchronous flux tubes as observed at the equator by GEOS-2. *Journal of Geophysical Research*, 90, 6379-85.
- Solomon, J., Cornilleau-Wehrlin, N., Korth, A. & Kremser, G. (1988). An experimental study of ELF/VLF hiss generation in the Earth's magnetosphere. *Journal of Geophysical Research*, 93, 1839-47.
- Soloviev, V.S., Gal'perin, Yu.I., Zinin, L.V., Sivtseva, L.D., Filippov, V.M. & Khalipov, V.L. (1989). The diffuse auroral zone, IX. Equatorial border of diffuse precipitation of the plasmasheet electrons as the boundary of the large-scale convection in the magnetosphere. *Kosmicheskie Issledovaniya*, 27, 232-47.
- Song, X.T., Caudal, G. & Gendrin, R. (1988). Refilling of the plasmasphere at the geostationary orbit : A Kp-dependent model deduced from GEOS-1 measurements of the cold plasma density. *Advances in Space Research*, 8(8), 45-8.
- Song, X.T., Gendrin, R. & Blanc, M. (1988). Determination of the Volland convection electric field parameters and computation of the associated field-aligned current distribution. *Planetary and Space Science*, 36, 631-9.
- Sonnerup, B.U.O. & Laird, M.J. (1963). On magnetospheric interchange instability. *Journal of Geophysical Research*, 68, 131-9.
- Sonwalkar, V.S. (1994). Magnetospheric LF, VLF, and ELF waves, in *Handbook of Atmospheric Electrodynamics.*, Vol. II, H. Volland, ed., CRC Press, Inc., Boca Raton, Florida.
- Sonwalkar, V.S., Bell, T.F., Helliwell, R.A. & Inan, U.S. (1984). Direct multiple path magnetospheric propagation: a fundamental property of nondirected VLF waves. *Journal of Geophysical Research*, 89, 2823-30.
- Sonwalkar, V.S., Helliwell, R.A. & Inan, U. S. (1990). Wideband VLF electromagnetic bursts observed on the DE 1 satellite. *Geophysical Research Letters*, 17, 1861-4.
- Sonwalkar, V.S. & Inan, U.S. (1988). Wave normal direction and spectral properties of whistler mode hiss observed on the DE 1 satellite. *Journal of Geophysical Research*, 93, 7493-514.

- Sonwalkar, V.S. & Inan, U.S. (1989). Lightning as an embryonic source of VLF hiss. *Journal of Geophysical Research*, 94, 6986-94.
- Southwood, D.J. (1977). The role of hot plasma in magnetospheric convection. *Journal of Geophysical Research*, 82, 5512-20.
- Southwood, D.J. & Hughes, W.J. (1983). Theory of hydromagnetic waves in the magnetosphere. *Space Science Reviews*, 35, 301-66.
- Southwood, D.J. & Kivelson, M.G. (1987). Magnetospheric interchange instability. *Journal of Geophysical Research*, 92, 109-16.
- Southwood, D.J. & Kivelson, M.G. (1989). Magnetospheric interchange motions. *Journal of Geophysical Research*, 94, 299-308.
- Southwood, D.J. & Wolf, R.A. (1978). An assessment of the role of precipitation in magnetospheric convection. *Journal of Geophysical Research*, 83, 5227-32.
- Spiro, R.W., Harel, M., Wolf, R.A. & Reiff, P.H. (1981). Quantitative simulation of a magnetospheric substorm. 3. Plasmaspheric electric fields and evolution of the plasmapause, *Journal of Geophysical Research*, 86, 2261-72.
- Spiro, R.W., Heelis, R.A. & Hanson, W.B. (1978). Ion convection and the formation of the mid-latitude F region ionization trough. *Journal of Geophysical Research*, 83, 4255-64.
- Spiro, R.W., Heelis, R.A. & Hanson, W.B. (1979). Rapid subauroral ion drifts observed by Atmospheric Explorer C. *Geophysical Research Letters*, 6, 657-60.
- Spitzer, L., Jr. (1956). Physics of fully ionized gases, fully ionized. Interscience, New York, pp. 105.
- Stern, D.P. (1977). Large-scale electric fields in the earth's magnetosphere. *Reviews of Geophysics and Space Physics*, 15, 156-94.
- Stern, D.P. & Tsyganenko, N.A. (1992). Uses and limitations of the Tsyganenko magnetic field model. *EOS*, 73, 489-94.
- Storey, L.R.O. (1951). An Investigation of Whistling Atmospherics. Ph.D. thesis. Cambridge: Cambridge University.
- Storey, L.R.O. (1953). An investigation of whistling atmospherics. *Philosophical Transactions of the Royal Society (London)*, A, 246, 113-41.
- Storey, L.R.O. (1956). A method to detect the presence of ionised hydrogen in the outer atmosphere. *Canadian Journal of Physics*, 34, 1153-9.
- Storey, L.R.O. (1958). Protons outside the earth's atmosphere. *Annales de Géophysique*, 14, 144-53.
- Storey, L.R.O. & Lefevre, F. (1979). The analysis of 6-component measurements of a random electromagnetic wave field in a magnetoplasma, I, The direct problem. *Geophysical Journal of Royal Astronomical Society*, 56, 255-69.
- Storey, L.R.O. & Lefevre, F. (1980). The analysis of 6-component measurements of a random electromagnetic wave field in a magnetoplasma, II, The integration kernels. *Geophysical Journal of Royal Astronomical Society*, 62, 173-94.
- Storey, L.R.O., Lefevre, F., Parrot, M., Cairo, L. & Anderson, R.R. (1991). Initial survey of the wave distribution functions for plasmaspheric hiss observed by ISEE 1. *Journal of Geophysical Research*, 96, 19469-89.
- Strangeways, H.J. (1991). The upper cut-off frequency of nose whistlers and implications for duct structure. *Journal of Atmospheric and Terrestrial Physics*, 53, 151-69.
- Strangeways, H.J. & Rycroft, M.J. (1980). Trapping of whistler-waves through the side of ducts. *Journal of Atmospheric and Terrestrial Physics*, 42, 983-94.

- Takahashi, K. & McPherron, R.L. (1982). Harmonic structure of Pc 3-4 pulsations. *Journal of Geophysical Research*, 87, 1504-16.
- Tam, S.W.Y., Yasseen, F. & Chang, T. (1995). Self-consistent kinetic photoelectron effect on the polar wind. *Geophysical Research Letters*, 22, 2107-10.
- Tanaka, Y. & Hayakawa, M (1985). On the propagation of daytime whistlers at low latitudes. *Journal of Geophysical Research*, 90, 3457-64.
- Tanskanen, P., Kangas, J., Block, L., Kremser, G., Korth, A., Woch, J., Iversen, I.B., Torkar, K.M., Riedler, W., Ullaland, S., Stadnes, J. and Glassmeier, K.-H. (1987). Different phases of a magnetospheric substorm on June 23, 1979. *Journal of Geophysical Research*, 92, 7443-57.
- Tarcsai, Gy. (1975). Routine whistler analysis by means of accurate curve fitting. *Journal of Atmospheric and Terrestrial Physics*, 37, 1447-57.
- Tarcsai, Gy. (1985). Ionosphere-plasmasphere electron fluxes at middle latitudes obtained from whistlers. *Advances in Space Research*, 5(4), 155-8.
- Tarcsai, Gy., Szemerédy, P. & Hegymegi, L. (1988). Average electron density profiles in the plasmasphere between $L = 1.4$ and 3.2 deduced from whistlers. *Journal of Atmospheric and Terrestrial Physics*, 90, 607-11.
- Taylor, H.A., Jr. (1971). Evidence of solar geomagnetic seasonal control of the topside ionosphere. *Planetary and Space Science*, 19, 77-93.
- Taylor, H.A., Jr. (1972). Observed solar geomagnetic control of the ionosphere: implications for the reference ionospheres. *Space Research*, 12, 1275-90.
- Taylor, H.A., Jr. (1972). The light ion trough. *Planetary and Space Science*, 20, 1593-1605.
- Taylor, H.A., Jr., Brinton, H.C., Carpenter, D.L., Bonner, F.M. & Heyborne, R.L. (1969). Ion depletion in the high-latitude exosphere. Simultaneous OGO 2 observations of the light ion trough and the VLF cutoff. *Journal of Geophysical Research*, 74, 3517-28.
- Taylor, H.A. Jr., Brinton, H.C. & Pharo, M.W., III (1968). Contraction of the plasmasphere during geomagnetically disturbed periods. *Journal of Geophysical Research*, 73, 961-8.
- Taylor, H.A. Jr., Brinton, H.C., Pharo, M.W., III & Rahman, N.K. (1968). Thermal ions in the exosphere; evidence of solar and geomagnetic control. *Journal of Geophysical Research*, 73, 5521-33.
- Taylor, H.A., Brinton, H.C. & Smith, C.R. (1965a). Preliminary results from measurements of hydrogen and helium ions below 50,000 km, paper presented at AGU meeting, Washington D.C., April 19-22.
- Taylor, H.A., Brinton, H.C. & Smith, C.R. (1965b). Positive ion composition in the magnetosphere obtained from OGO-A satellite. *Journal of Geophysical Research*, 70, 5769-81.
- Taylor, H.A., Jr. & Cordier, G.R. (1974). In-situ observations of irregular ionospheric structure associated with the plasmapause. *Planetary and Space Science*, 22, 1289-96.
- Taylor, H.A., Jr., Mayr, H.G. & Brinton, H.C. (1970). Observations of hydrogen and helium ions during a period of rising solar activity. *Space Research*, 10, 663-78.
- Taylor, H.A., Jr. & Walsh, W.J. (1972). The light ion trough, the main trough, and the plasmapause. *Journal of Geophysical Research*, 77, 6716-23.
- Temerin, M., Cerny, K., Lotko, W. & Mozer, F.S. (1982). Observations of double layers and solitary waves in the auroral plasma. *Physical Review Letters*, 48, 1175.
- Thomas, J.O., & Sader, A.Y. (1964). The electron density at the ALOUETTE orbit. *Journal of Geophysical Research*, 69, 4561-81.

- Thomson, R.J. (1978). The formation and lifetime of whistler ducts. *Planetary and Space Science*, 26, 423-30.
- Thomson, R.J. & Dowden, R.L. (1977). Simultaneous ground and satellite reception of whistlers. 1. Ducted whistlers. *Journal of Atmospheric and Terrestrial Physics*, 39, 869-77.
- Thorne, R.M., Church, S.R. & Gorney, D.J. (1979). On the origin of plasmaspheric hiss: The importance of wave propagation and the plasmapause. *Journal of Geophysical Research*, 84, 5241-7.
- Thorne, R.M., Smith, E. J., Burton, R.K. & Holzer, R.E. (1973). Plasmaspheric hiss. *Journal of Geophysical Research*, 78, 1581-96.
- Tinsley, B.A., Hodges, R.R., Jr. & Rohrbaugh, R.P. (1986). Monte Carlo models for the terrestrial exosphere over a solar cycle. *Journal of Geophysical Research*, 91, 13631-47.
- Titheridge, J.E. (1976). Ion transition heights from topside electron density profiles. *Planetary and Space Science*, 24, 229-45.
- Titheridge, J.E. (1976). Plasmapause effects in the topside ionosphere. *Journal of Geophysical Research*, 81, 3227-33.
- Titova, E.E., Di, V.I., Yurov, V.E., Raspovov, O.M., Trakhtengerts, V.Yu., Jiricek, F. & Triska, P. (1984). Interaction between VLF waves and the turbulent ionosphere. *Geophysical Research Letters*, 11, 323-6.
- Torr, M.R. & Torr, D.G. (1982). The role of metastable species in the thermosphere. *Reviews on Geophysics and Space Physics*, 20, 91-144.
- Tserkovnikov, Y.A. (1960). The question of convectional instability of a plasma. *Soviet Physics Doklady* (Engl. Translation), 5, 87-90.
- Tsyganenko, N.A. (1987). Global quantitative models of the geomagnetic field in the cislunar magnetosphere for different disturbance levels. *Planetary and Space Science*, 35, 1347-58.
- Tsyganenko, N.A. (1989). A magnetospheric magnetic field model with a warped tail current sheet. *Planetary and Space Science*, 37, 5-20.
- Valchuk, T.E., Galperin, Yu.I., Nikolayenko, L.M., Feldstein, Ya.I., Bosqued, J.-M., Sauvaud, J.A. & Crasnier, J. (1986). The diffuse auroral zone. VIII. Equatorial boundary of the zone of diffuse precipitation of auroral electrons in the morning sector. *Kosmicheskie Issledovaniya*, 24, 875-83.
- Van Allen, J.A. (1959). The geomagnetically trapped corpuscular radiation. *Journal of Geophysical Research*, 64, 1683-89.
- Van Allen, J.A. (1960). The first public lecture on the discovery of the geomagnetically trapped radiation, State University of Iowa Rept., p. 60.
- Vasyliunas, V.M. (1970). Mathematical models of magetospheric convection and its coupling to the ionosphere, Particles and fields in the magnetosphere, ed. by McCormac, B.M., D. Reidel, Dordrecht-Holland, 60-71.
- Vasyliunas, V.M. (1972). The interrelationship of magnetospheric processes, in "Earth's magnetospheric processes", Ed. B.M. McCormac, D. Reidel Publ. Cy, 29-38.
- Vernov, S.N. & Chudakov, A.E. (1960). Terrestrial corpuscular radiation and cosmic rays. *Space Research*, 1, 751-96.
- Vickrey, J.F., Swartz, W.E. & Farley, D.T. (1979). Post-sunset observations of ionospheric-protonospheric coupling at Arecibo. *Journal of Geophysical Research*, 84, 1310-4.
- Vinas, A.F. & Madden, T.R. (1986). Shear flow-balloonning instability as a possible mechanism for hydromagnetic fluctuations. *Journal of Geophysical Research*, 91, 1519-28.

- Volland, H.A. (1973). A semi-empirical model of large-scale magnetospheric electric fields. *Journal of Geophysical Research*, 78, 171-80.
- Volland, H.A. (1975). Models of global electric fields within the magnetosphere. *Annales de Géophysique*, 31, 159-73.
- Volland, H.A. (1978). A model of the magnetospheric electric convection field. *Journal of Geophysical Research*, 83, 2695-9.
- Voss, H.D., Imhof, W.L., Walt, M., Mobilia, J., Gaines, E.E., Reagan, J. B., Inan, U. S., Helliwell, R. A., Carpenter, D.L., Katsufakis, J. P. & Chang, H. C. (1984). Lightning-induced electron precipitation. *Nature*, 312, 740-2.
- Waite, J.H., Jr., Nagai, T., Johnson, J.F.E., Chappell, C.R., Burch, J.L., Killeen, T.L., Hays, P.B., Carignan, G.R., Peterson, W.K. & Shelley, E.G. (1985). Escape of suprathermal O⁺ ions in the polar cap. *Journal of Geophysical Research*, 90, 1619-30.
- Watanabe, S., Oyama, K.-I & Abe, T. (1989). Electron temperature structure around mid-latitude ionospheric trough. *Planetary and Space Science*, 37, 1453-60.
- Watanabe, S., Whalen, B.A. & Yau, A.W. (1992). Thermal ion observations of depletion and refilling in the plasmaspheric trough. *Journal of Geophysical Research*, 97, 1081-96.
- Whipple, E.C. (1981). Potential of surfaces in space. *Reports Progress in Physics*, 44, 1197.
- Williams, D.J., Roelof, E.C. & Mitchell, D.G. (1992). Global magnetospheric imaging. *Reviews of Geophysics*, 30, 183-208.
- Wilson, G.R. (1992). Semikinetic modeling of the outflow of ionospheric plasma through the topside collisional to collisionless transition region. *Journal of Geophysical Research*, 97, 10551-65.
- Wilson, G.R., Horwitz, J.L. & Lin, J. (1992). A semi kinetic model for early stage plasmasphere refilling : 1. Effects of Coulomb collisions. *Journal of Geophysical Research*, 97, 1109-19.
- Wilson, G.R., Horwitz, J.L. & Lin, J. (1993). A semi-kinetic modelling of plasma flow on outer plasmaspheric field lines. *Advances in Space Research*, 13(4), 107-16.
- Wolf, R.A. (1970). Effects of ionospheric conductivity on convective flow of plasma in the magnetosphere. *Journal of Geophysical Research*, 75, 4677-98.
- Wolf, R.A. (1983). The quasi-static (slow-flow) region of the magnetosphere, in *Solar-Terrestrial Physics, Principles* by R.L. Carovillano & J.M. Forbes, Reidel, Dordrecht, Holland, pp. 303-68.
- Wolf, R.A. (1995). Magnetospheric configuration, in Kivelson, M.G. and Russell, C.T. (eds.), *Introduction to Space Physics*, Cambridge University Press, Cambridge, 288-329.
- Wolf, R.A. & Harel, M. (1979). Dynamics of the magnetospheric plasma. *Dynamics of the Magnetosphere*, Ed. by Akasofu, S.-I., D. Reidel, Dordrecht-Holland, 143-63.
- Wrenn, G.L., Johnson, J.F.E. & Sojka, J.J. (1979). Stable 'pancake' distributions of low energy electrons in the plasma trough. *Nature*, London, 279, 512-4.
- Wrenn, G.L., Sojka, J.J. & Johnson, J.F.E. (1984). Thermal protons in the morning magnetosphere: filling and heating near the equatorial plasmapause. *Planetary and Space Science*, 32, 351-63.
- Yabroff, I. (1961). Computation of whistler ray paths. *Journal of Research, National Bureau of Standards*, 65D, 485-505.
- Yang, Y.S., Wolf, R.A., Spiro, R.A. & Dessler, A.J. (1992). Numerical simulation of plasma transport driven by the Io torus. *Journal of Geophysical Research*, 19, 957-60.
- Yasseeen, F., Retterer, J.M., Chang, T. & Winningham, J.D. (1989). Monte-Carlo modeling of polar wind photoelectron distributions with anomalous heat flux. *Geophysical Research Letters*, 16, 1023-6.

- Yeh, H.-C. & Flaherty, B.J. (1966). Ionospheric electron content at temperate latitudes during the declining phase of the sunspot cycle. *Journal of Geophysical Research*, 71, 4557-70.
- Yeh, H.-C. & Foster, J.C.. (1990). Storm-time heavy ion outflow at mid-latitude. *Journal of Geophysical Research*, 95, 7881-91.
- Yeh, H.-C., Foster, J.C., Rich, F.J. & Swider, W. (1991). Storm time electric field penetration observed at mid-latitude. *Journal of Geophysical Research*, 96, 5707-21.
- Yeoman, T.K. & Orr, D.(1989). Phase and spectral power of mid-latitude Pi2 pulsations: evidence for a plasmaspheric cavity resonance. *Planetary and Space Science*, 37, 1367-83.
- Yoshida, S. & Hatanaka, T. (1962). The disturbances of exosphere as seen from the VLF emissions. *Journal of the Physical Society of Japan*, 17, (supplement A-II), 78-83.
- Young, D.T., Geiss, J., Balsiger, H., Eberhardt, P., Ghielmetti, A. & Rosenbauer H. (1977). Discovery of He++ and O++ ions of terrestrial origin in the outer magnetosphere. *Geophysical Research Letters*, 4, 561-4.
- Young, E.R., Torr, D.G., Richards, P. & Nagy, A.F. (1980). A computer simulation of the midlatitude plasmasphere and ionosphere. *Planetary Space Science*, 28, 881-93.
- Zinin, L.V., Gal'perin, Yu. I., Latyshev, K.S. & Grigoriev, S.A. (1985). Non-stationary field-aligned fluxes of thermal ions O+ and H+ outside the plasmapause: a refinement of the polar wind theory, Results of the ARCAD 3 PROJECT and of the recent programmes in magnetospheric and ionospheric physics, Trans. of International Symposium, Toulouse, May, 1984, ed. by CNES, CEPADUES-EDITIONS, Toulouse, 391-408.